

# **SANDIA REPORT**

SAND2006-5557

Unlimited Release

Printed October 2006

## **A Sampling-Based Computational Strategy for the Representation of Epistemic Uncertainty in Model Predictions with Evidence Theory**

J.C. Helton, J.D. Johnson, W.L. Oberkampf, C.B. Storlie

Prepared by  
Sandia National Laboratories  
Albuquerque, New Mexico 87185 and Livermore, California 94550

Sandia is a multiprogram laboratory operated by Sandia Corporation, a Lockheed Martin Company, for the United States Department of Energy's National Nuclear Security Administration under Contract DE-AC04-94AL85000.

Approved for public release; further dissemination unlimited.



**Sandia National Laboratories**

Issued by Sandia National Laboratories, operated for the United States Department of Energy by Sandia Corporation.

**NOTICE:** This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from

U.S. Department of Energy  
Office of Scientific and Technical Information  
P.O. Box 62  
Oak Ridge, TN 37831

Telephone: (865)576-8401  
Facsimile: (865)576-5728  
E-Mail: [reports@adonis.osti.gov](mailto:reports@adonis.osti.gov)  
Online ordering: <http://www.doc.gov/bridge>

Available to the public from

U.S. Department of Commerce  
National Technical Information Service  
5285 Port Royal Rd.  
Springfield, VA 22161

Telephone: (800)553-6847  
Facsimile: (703)605-6900  
E-Mail: [orders@ntis.fedworld.gov](mailto:orders@ntis.fedworld.gov)  
Online ordering: <http://www.ntis.gov/ordering.htm>



# **A Sampling-Based Computational Strategy for the Representation of Epistemic Uncertainty in Model Predictions with Evidence Theory**

J.C. Helton,<sup>a</sup> J.D. Johnson,<sup>b</sup> W.L. Oberkampf,<sup>c</sup> C.B. Storlie<sup>d</sup>

<sup>a</sup>Department of Mathematics and Statistics, Arizona State University, Tempe, AZ 85287-1804 USA

<sup>b</sup>ProStat, Mesa, AZ 85204-5326 USA

<sup>c</sup>Sandia National Laboratories, Albuquerque, NM 87185-0828 USA

<sup>d</sup>Department of Statistics, North Carolina State University, Raleigh, NC 27695 USA

## **Abstract**

Evidence theory provides an alternative to probability theory for the representation of epistemic uncertainty in model predictions that derives from epistemic uncertainty in model inputs, where the descriptor epistemic is used to indicate uncertainty that derives from a lack of knowledge with respect to the appropriate values to use for various inputs to the model. The potential benefit, and hence appeal, of evidence theory is that it allows a less restrictive specification of uncertainty than is possible within the axiomatic structure on which probability theory is based. Unfortunately, the propagation of an evidence theory representation for uncertainty through a model is more computationally demanding than the propagation of a probabilistic representation for uncertainty, with this difficulty constituting a serious obstacle to the use of evidence theory in the representation of uncertainty in predictions obtained from computationally intensive models. This presentation describes and illustrates a sampling-based computational strategy for the representation of epistemic uncertainty in model predictions with evidence theory. Preliminary trials indicate that the presented strategy can be used to propagate uncertainty representations based on evidence theory in analysis situations where naïve sampling-based (i.e., unsophisticated Monte Carlo) procedures are impracticable due to computational cost.

**Key Words:** Dempster-Shafer theory, Epistemic uncertainty, Evidence theory, Monte Carlo, Numerical uncertainty propagation, Sensitivity analysis, Uncertainty analysis

## **Acknowledgments**

Work performed at Sandia National Laboratories (SNL), which is a multiprogram laboratory operated by Sandia Corporation, a Lockheed Martin Company, for the U.S. Department of Energy's National Nuclear Security Administration under Contract No. DE-AC04-04AL85000. Review at SNL provided by L. Swiler and C. Sallaberry. Editorial support provided by F. Puffer, J. Ripple, and K. Best of Tech Reps, a division of Ktech Corporation.

# Contents

Acknowledgments .....	4
1. Introduction .....	7
2. Evidence Theory .....	9
3. Computational Strategy for Estimating CBF, CCBF, CPF and CCPF for $y$ .....	17
4. Example for Illustration.....	19
5. Example Results .....	23
5.1 Step 1: Define Sampling Distribution.....	23
5.2 Step 2: Generate Latin Hypercube Sample.....	23
5.3 Step 3: Propagate Sample Through Model .....	23
5.4 Step 4: Perform Sensitivity Analysis .....	23
5.5 Step 5: Develop Response Surface Approximation.....	25
5.6 Step 6: Approximate $y$ for Large Random Sample.....	28
5.7 Step 7: Approximate Evidence Space Results .....	30
6. Discussion .....	37
7. References .....	39

## Figures

Fig. 1.	Form of the CPF, CDF, CBF, CCPF, CCDF and CCBF that results for each variable from the uncertainty information in Table 2 with variable range normalized to $[0, 1]$ .....	22
Fig. 2.	Time-dependent curves for WLs and SLs obtained with Latin hypercube sample with 100 curves from sample of size 200 shown. ....	24
Fig. 3.	Values for $pF$ obtained with Latin hypercube sample of size 200 shown as a CCDF.....	24
Fig. 4.	Comparison of observed values (i.e., $y$ as indicated in Eq. (5.18)) and MARS response surface predicted values (i.e., $\hat{y}$ as indicated in Eq. (5.18)): (a) $WLIT75$ , and (b) $\log(pF)$ .....	29
Fig. 5.	Stepwise construction of CCBFs and CCPFs for $WLIT75$ with $c_{61}$ , $c_2$ and $c_1$ : (a) Construction with MARS response surface approximation to $WLIT75$ (left frame), and (b) Construction with predicted values for $WLIT75$ (right frame).....	31
Fig. 6.	Stepwise construction of CCBFs and CCPFs with MARS response surface approximations for $WLIT25$ , $SLIT25$ and $SLIT75$ : (a) $WLIT25$ with $c_{61}$ , $c_1$ , $c_2$ and $c_{41}$ , (b) $SLIT25$ with $c_2$ , $c_{62}$ , $c_{71}$ and $c_1$ , and (c) $SLIT75$ with $c_2$ , $c_1$ and $c_{62}$ . ....	32
Fig. 7.	Stepwise construction of CCBFs and CCPFs for $pF$ with $c_{71}$ , $c_2$ , $c_1$ , $c_{72}$ and $c_9$ (a, c) Construction with MARS response surface approximation to $\log(pF)$ (left frames), and (b, d) Construction with predicted values for $\log(pF)$ (right frames). ....	33
Fig. 8.	Simplification of an evidence space with each horizontal line corresponding to a focal element with a BPA of 0.2 in a new evidence space. ....	34
Fig. 9.	Stepwise construction of CCBFs and CCPFs for $pF$ with the evidence spaces for the individual components of $\mathbf{x}$ redefined to have 5 focal elements as indicated in conjunction with Fig. 8 and sequential inclusion of $c_{71}$ , $c_2$ , $c_{11}$ , $c_{72}$ , $c_9$ , $c_{42}$ , $c_8$ and $c_{11}$ : (a) Construction with MARS response surface approximation to $\log(pF)$ (left frames), and (b, d) Construction with predicated values for $\log(pF)$ (right frames).....	35
Fig. 10.	Stepwise construction of CCBFs and CCPFs for $pF$ with the evidence spaces for the individual components of $\mathbf{x}$ redefined to have 5 focal elements as indicated in conjunction with Fig. 8 and sequential inclusion of $c_{71}$ , $c_{42}$ , $c_2$ , $c_{11}$ , $c_{72}$ , $c_9$ , $c_8$ and $c_{11}$ : (a) Construction with MARS response surface approximation to $\log(pF)$ (left frames), and (b, d) Construction with predicated values for $\log(pF)$ (right frames).....	36

## Tables

Table 1.	Uncertain Variables and Associated Uncertainty Ranges Considered in Example Uncertainty Analyses (Adapted from Table 1, Ref. 134).....	21
Table 2.	Illustrative Specification of Uncertainty Information Used in Example Uncertainty Analyses with Probability Theory and Evidence Theory for Variables in Table 1 (Table 2, Ref. 134) .....	21
Table 3.	Basic Probability Assignments (BPAs) for a Variable on the Interval $[a, b]$ Derived from the Information in Table 2 (Table 3, Ref. 134) .....	22
Table 4.	Sensitivity Analysis Based on Stepwise Rank Regression for Mapping $[\mathbf{x}_i, \mathbf{y}_i]$ , $y = 1, 2, \dots, nS = 200$ , in Eq. (5.5).....	26
Table 5.	Summaries of Stepwise Construction of Response Surface Approximations of $\log(pF)$ from Mapping in Eq. (5.5).....	28
Table 6.	Summaries of Stepwise Construction of Response Surface Approximations to $WLIT25$ , $WL5T75$ , $SLIT25$ and $SLIT75$ from Mapping in Eq. (5.5) with the MARS Procedure.....	29

## 1. Introduction

An appropriate representation of the uncertainty in analysis outcomes is an essential part of any complete analysis.<sup>1-11</sup> Specifically, an analysis that is intended to provide insights into the behavior of a system or the basis for decisions must provide an assessment of the uncertainty associated with its outcomes. Without such an assessment, neither insights drawn from the analysis nor decisions based on it are adequately informed and supported.

Analyses of the behavior of complex systems typically involve two types of uncertainty: aleatory and epistemic.<sup>11-20</sup> Aleatory uncertainty arises from what is considered to be an inherent randomness in the behavior of the system under study. For example, in a risk assessment for a chemical plant, the weather conditions at the time of an accident are usually considered to be an aleatory uncertainty. Alternatives to the descriptor aleatory include stochastic, variability, irreducible and type A. Epistemic uncertainty arises from a lack of knowledge about a quantity that is assumed to have a fixed value in the context of a particular analysis. For example, the pressure at which a specific reactor containment will fail is presumably fixed but certainly unknown and is thus an epistemic uncertainty. Alternatives to the descriptor epistemic include subjective, state of knowledge, reducible and type B. As an example, probabilistic risk assessments for nuclear power plants are typically designed to maintain a separation between aleatory uncertainty and epistemic uncertainty.<sup>21-26</sup>

Probability has traditionally been employed as the mathematical structure used to represent both aleatory uncertainty and epistemic uncertainty.<sup>17, 19, 27-32</sup> With this usage, an analysis maintaining a separation of aleatory uncertainty and epistemic uncertainty involves two probability spaces: one probability space characterizing aleatory uncertainty and one probability space characterizing epistemic uncertainty. This dual usage of probability can be traced back to at least the beginnings of the formal development of probability theory in the

late seventeenth century. However, many individuals have reservations about the use of probability to represent epistemic uncertainty when there is limited information available on which to base a fully structured development of probability. In particular, the concern is that the definition of a full probabilistic description of uncertainty entails an implication of a higher resolution of knowledge than is really present.

Evidence theory provides an alternative to probability theory for the representation of epistemic uncertainty in model predictions that derives from epistemic uncertainty in model inputs.<sup>33-39</sup> The potential benefit, and hence appeal, of evidence theory is that it allows a less restrictive specification of uncertainty than is possible within the axiomatic structure on which probability theory is based. Unfortunately, the propagation of an evidence theory representation for uncertainty through a model is more computationally demanding than the propagation of a probabilistic representation for uncertainty, with this difficulty constituting a serious obstacle to the use of evidence theory in the representation of uncertainty in predictions obtained from computationally intensive models. This presentation describes and illustrates a sampling-based computational strategy for the representation of epistemic uncertainty in model predictions with evidence theory. Preliminary trials indicate that the presented strategy can be used to propagate uncertainty representations based on evidence theory in analysis situations where naïve sampling-based (i.e., unsophisticated Monte Carlo) procedures are impracticable due to computational cost.

This presentation is organized as follows. First, an overview of evidence theory is given (Sect. 2). Then, the numerical procedure for the construction of evidence theory results is described (Sect. 3). This description is followed by the introduction of the illustrative example involving a weak link (WL)/strong link (SL) system (Sect. 4) and the presentation of results obtained with evidence theory in the analysis of this system (Sect. 5). Finally, the presentation ends with a concluding discussion (Sect. 6).

This page intentionally left blank.



## 2. Evidence Theory

An analysis can be conceptually represented in the functional form

$$\mathbf{y} = f(\mathbf{x}), \quad (2.1)$$

where

$$\mathbf{x} = [x_1, x_2, \dots, x_{nX}] \quad (2.2)$$

is a vector of analysis inputs,

$$\mathbf{y} = [y_1, y_2, \dots, y_{nY}] \quad (2.3)$$

is a vector of analysis results, and  $f$  is a function that maps  $\mathbf{x}$  into  $\mathbf{y}$ . In practice,  $f$  can be quite complex and, as examples, could involve the solution of a system of nonlinear partial differential equations or the operation of a sequence of linked models. Further, the dimensionality of  $\mathbf{x}$  and  $\mathbf{y}$  is often high (e.g., on the order of 100s). For example, the NUREG-1150 probabilistic risk assessments considered approximately 130 – 140 uncertain analysis inputs for each of the five nuclear power plants under consideration,<sup>21-26</sup> the compliance certification analysis for the Waste Isolation Pilot Plant (WIPP) considered approximately 60 uncertain analysis inputs,<sup>40</sup> and performance assessments currently being carried out for the proposed high-level radioactive waste disposal facility at Yucca Mountain, Nevada, consider approximately 250 uncertain analysis inputs.<sup>41, 42</sup> Further, each of the indicated analyses involves the consideration of a large number of time-dependent predicted results.

Probability theory provides the mathematical structure that has been traditionally used to characterize the epistemic uncertainty in results obtained in analyses of the form indicated in Eq. (2.1). With this approach, the uncertainty in the elements of  $\mathbf{x}$  is represented by a sequence of distributions

$$D_1, D_2, \dots, D_{nX}, \quad (2.4)$$

where  $D_j$  is a distribution that characterizes the uncertainty associated with the element  $x_j$  of  $\mathbf{x}$ . Various correlations and other restrictions involving the elements of  $\mathbf{x}$  may also be specified. Typically, the distributions in Eq. (2.4) are developed through some form of expert review process.<sup>43-54</sup> Conceptually, these distributions give rise to a probability space  $(X_P, \mathcal{X}_P, m_{PX})$  that characterizes the uncertainty in  $\mathbf{x}$ , where (i)  $X_P$  is the set

(i.e., sample space) of possible values for  $\mathbf{x}$ , (ii)  $\mathcal{X}_P$  is an appropriately defined set of subsets of  $X_P$  (i.e., a  $\sigma$ -algebra), and (iii)  $m_{PX}$  is a function (i.e., a probability measure) that defines the probability of individual elements of  $\mathcal{X}_P$  [Sect. IV.3, Ref. 55]. For notational convenience, the uncertainty in  $\mathbf{x}$  characterized by the distributions in Eq. (2.4) and the associated probability space  $(X_P, \mathcal{X}_P, m_{PX})$  can be represented by a density function  $d_X(\mathbf{x})$  defined on  $X_P$ .

In turn, the uncertainty in  $\mathbf{x}$  gives rise to uncertainty in the elements of  $\mathbf{y}$ . For notational convenience in the following discussion,  $\mathbf{y}$  is assumed to consist of a single real-valued component  $y$ ; specifically,

$$y = f(\mathbf{x}) \quad (2.5)$$

is under consideration. This eliminates the need to use subscripting to identify individual elements of  $\mathbf{y}$  but does not otherwise alter the discussion. In concept, the uncertainty in  $y$  is characterized by a probability space  $(Y_P, \mathcal{Y}_P, m_{PY})$  and an associated density function  $d_Y(y)$  defined on  $Y_P$  that derive from the properties of the probability space  $(X_P, \mathcal{X}_P, m_{PX})$  and the function  $f$ .

In practice, the uncertainty in  $y$  is summarized by an estimated cumulative or complementary cumulative distribution function (i.e., a CDF or CCDF). Specifically, the CDF and CCDF for  $y$  are defined by the probabilities

$$\begin{aligned} \text{prob}(\tilde{y} \leq y) &= \int_{X_P} \underline{\delta}[f(\mathbf{x})|y] d_X(\mathbf{x}) dX \\ &\equiv \sum_{i=1}^{nS} \underline{\delta}[f(\mathbf{x}_i)|y] / nS \end{aligned} \quad (2.6)$$

and

$$\begin{aligned} \text{prob}(\tilde{y} > y) &= \int_{X_P} \bar{\delta}[f(\mathbf{x})|y] d_X(\mathbf{x}) dX \\ &\equiv \sum_{i=1}^{nS} \bar{\delta}[f(\mathbf{x}_i)|y] / nS, \end{aligned} \quad (2.7)$$

respectively, where

$$\underline{\delta}[f(\mathbf{x})|y] = \begin{cases} 1 & \text{if } f(\mathbf{x}) \leq y \\ 0 & \text{if } f(\mathbf{x}) > y, \end{cases} \quad (2.8)$$

$$\bar{\delta}[f(\mathbf{x})|y] = 1 - \underline{\delta}[f(\mathbf{x})|y] = \begin{cases} 0 & \text{if } f(\mathbf{x}) \leq y \\ 1 & \text{if } f(\mathbf{x}) > y, \end{cases} \quad (2.9)$$

and

$$\mathbf{x}_i = [x_{i1}, x_{i2}, \dots, x_{i,nX}], i = 1, 2, \dots, nS, \quad (2.10)$$

is a random or Latin hypercube sample<sup>56-59</sup> of size  $nS$  from  $\mathcal{X}_P$  generated in consistency with the distributions in Eq. (2.4). Latin hypercube sampling is often used in analyses of this type because of its efficient stratification properties. Importance sampling is also a possibility for generating the sample in Eq. (2.10) but requires the use of an associated weight that is more complex than the weight (i.e.,  $1/nS$ ) shown in Eq. (2.6) and (2.7).<sup>60-68</sup> A CCDF is the preferred uncertainty representation in most risk analyses because it provides an answer to the question “How likely is it to be this bad or worse?”

Given that the probabilities in Eqs. (2.6) and (2.7) can be determined, the CDF and CCDF for  $y$  are formally defined by the sets

$$\begin{aligned} CDF &= \left\{ [y, \text{prob}_Y(\tilde{y} \leq y)] : y \in \mathcal{Y}_P \right\} \\ &\equiv \left\{ \left[ y, \sum_{i=1}^{nS} \bar{\delta}[f(\mathbf{x}_i)|y] / nS : y \in \mathcal{Y}_P \right] \right\} \end{aligned} \quad (2.11)$$

and

$$\begin{aligned} CCDF &= \left\{ [y, \text{prob}_Y(\tilde{y} > y)] : y \in \mathcal{Y}_P \right\} \\ &\equiv \left\{ \left[ y, \sum_{i=1}^{nS} \underline{\delta}[f(\mathbf{x}_i)|y] / nS : y \in \mathcal{Y}_P \right] \right\}, \end{aligned} \quad (2.12)$$

respectively.

The uncertainty in  $y$  can also be represented with the expected value  $E(y)$  and variance  $V(y)$  of  $y$  given by

$$E(y) = \int_{\mathcal{X}_P} f(\mathbf{x}) d_X(\mathbf{x}) \equiv \sum_{i=1}^{nS} f(\mathbf{x}_i) / nS \quad (2.13)$$

and

$$\begin{aligned} V(y) &= \int_{\mathcal{X}_P} [f(\mathbf{x}) - E(y)]^2 d_X(\mathbf{x}) \\ &\equiv \sum_{i=1}^{nS} \left[ f(\mathbf{x}_i) - \sum_{i=1}^{nS} f(\mathbf{x}_i) / nS \right]^2 / (nS - 1), \end{aligned} \quad (2.14)$$

respectively, where  $\mathbf{x}_i$ ,  $i = 1, 2, \dots, nS$ , is the sample indicated in Eq. (2.10). However, a large amount of information is lost when only  $E(y)$  and  $V(y)$  are used to represent the uncertainty in  $y$  as the information given by  $nS$  results has been coalesced into only two numbers. As a result, CDFs and CCDFs provide more informative representations of uncertainty than means and variances.

The results used in the estimation of the CDF and CCDF in Eqs. (2.6) and (2.7) constitute a mapping

$$[\mathbf{x}_i, f(\mathbf{x}_i)] = [x_{i1}, x_{i2}, \dots, x_{i,nX}, y_i], i = 1, 2, \dots, nS, \quad (2.15)$$

between analysis inputs and analysis results, where  $y_i = f(\mathbf{x}_i)$ . Once generated, this mapping can be investigated with a variety of sensitivity analysis procedures.<sup>69</sup> Such sensitivity analyses constitute an important part of analyses employing a sampling-based propagation of uncertainty.

Analyses based on probabilistic characterization of epistemic uncertainty are very popular and have been widely used.<sup>21-26, 40-42, 70-82</sup> However, such analyses are open to the criticism that there may not be enough information available to justify the definition of the distributions indicated in Eq. (2.4). In particular, defining a probability distribution for an element  $x_j$  of  $\mathbf{x}$  imposes a large amount of structure on the characterization of the uncertainty with respect to what the appropriate value for  $x_j$  is. When there is little information about the value of a variable, this imposed structure may not be appropriate. For example, there is a large difference in concept and implication between saying that all that is known about a quantity is that its value is located somewhere in an interval  $[a, b]$  and saying that a uniform distribution on  $[a, b]$  characterizes degrees of belief with respect to where the value of this quantity is located in the interval  $[a, b]$ . The indicated imposition of a uniform distribution implies that there is a probability of 0.5 that the value for the quantity is in the interval  $[a, a + (b - a)/2]$  and similarly that there is a probability of 0.5 that value for the quantity is in the interval  $[a + (b - a)/2, b]$ . In contrast, the statement that all that is known about a quantity is that its value is

located in the interval  $[a, b]$  implies just that and no more.

Several alternatives to probability theory for the representation of uncertainty have been proposed, including interval analysis,<sup>83-88</sup> possibility theory,<sup>89-93</sup> fuzzy set theory,<sup>94-98</sup> and evidence theory.<sup>33-39</sup> A number of comparative discussions of different approaches to the representation of uncertainty are available.<sup>99-106</sup> The introduction of these alternatives to probability theory for the representation of epistemic uncertainty has been accompanied by a lively debate with respect to their appropriateness and usefulness, with some analysts maintaining that probability theory is the only appropriate mathematical structure for the representation of uncertainty and other analysts maintaining that these alternative uncertainty representations are essential to an appropriate representation of uncertainty in the presence of limited information.<sup>104, 107-117</sup> While not rejecting all use of probability theory to represent epistemic uncertainty, the authors of this paper feel that the indicated alternative mathematical structures for the representation of uncertainty do have useful roles to play when uncertainty must be characterized, and decisions made, on the basis of limited information.

The focus of this presentation is on evidence theory, which provides a less structured representation of uncertainty than probability theory and yet is still closely related to probability theory. Indeed, an uncertainty representation with evidence theory approaches an uncertainty representation with probability theory as the amount of information and/or insight available for use in the characterization of uncertainty increases. The authors find this connection to be very appealing. Evidence theory is also sometimes referred to as Dempster-Shafer theory in recognition of the early development work of these two individuals.<sup>33, 118-120</sup>

Just as a probability space involving a quantity  $\mathbf{x}$  is the basic mathematical structure in probability theory, an evidence space involving a quantity  $\mathbf{x}$  is the basic mathematical structure in evidence theory. Similarly to a probability space for  $\mathbf{x}$ , an evidence space for  $\mathbf{x}$  is a triple of the form  $(X_E, \mathbb{X}_E, m_{EX})$ , where (i)  $X_E$  is the set (i.e., sample space or universal set) of possible values of  $\mathbf{x}$ , (ii)  $\mathbb{X}_E$  is a set of subsets of  $X_E$ , and (iii)  $m_{EX}$  is a function satisfying the conditions

$$m_{EX}(\mathcal{U}) > 0 \quad \text{if } \mathcal{U} \subset X_E \text{ and } \mathcal{U} \in \mathbb{X}_E, \quad (2.16)$$

$$m_{EX}(\mathcal{U}) = 0 \quad \text{if } \mathcal{U} \subset X_E \text{ and } \mathcal{U} \notin \mathbb{X}_E \quad (2.17)$$

and

$$\sum_{\mathcal{U} \in \mathbb{X}_E} m_{EX}(\mathcal{U}) = 1. \quad (2.18)$$

The numeric value  $m_{EX}(\mathcal{U})$  is referred to as the basic probability assignment (BPA) for a subset  $\mathcal{U}$  of  $X_E$ , and the elements of  $\mathbb{X}_E$  (i.e., the subsets of  $X_E$  with nonzero BPAs) are referred to as the focal elements of the evidence space.

The sets  $X_P$  and  $X_E$  associated with a probability space  $(X_P, \mathbb{X}_P, m_{PX})$  and an evidence space  $(X_E, \mathbb{X}_E, m_{EX})$  for a quantity  $\mathbf{x}$  are conceptually the same as both  $X_P$  and  $X_E$  simply contain all possible values for  $\mathbf{x}$ . However, the sets  $\mathbb{X}_P$  and  $\mathbb{X}_E$  and the functions  $m_{PX}$  and  $m_{EX}$  are conceptually different. Collectively, the sets in  $\mathbb{X}_P$  constitute a  $\sigma$ -algebra; specifically, (i) if  $\mathcal{U} \in \mathbb{X}_P$ , then  $\mathcal{U}^c \in \mathbb{X}_P$ , where  $\mathcal{U}^c$  is the complement of  $\mathcal{U}$ , and (ii) if  $\mathcal{U}_1, \mathcal{U}_2, \dots$ , is a sequence of elements of  $\mathbb{X}_P$ , then  $\cup_i \mathcal{U}_i \in \mathbb{X}_P$  and  $\cap_i \mathcal{U}_i \in \mathbb{X}_P$ . In contrast, there is no specified structure associated with  $\mathbb{X}_E$  as the membership of a subset  $\mathcal{U}$  of  $X_E$  in  $\mathbb{X}_E$  is defined solely by the property  $m_{EX}(\mathcal{U}) > 0$ . Further,  $\mathbb{X}_P$  has an uncountably infinite number of elements in most developments of probability while  $\mathbb{X}_E$  can never have more than a countably infinite number of elements and usually has a finite number of elements.

The function  $m_{PX}$  defines the probability associated with elements of  $\mathbb{X}_P$  and is referred to as a probability measure. Specifically, (i) if  $\mathcal{U} \in \mathbb{X}_P$ , then  $0 \leq m_{PX}(\mathcal{U}) \leq 1$ , (ii)  $m_{PX}(X_P) = 1$ , and (iii) if  $\mathcal{U}_1, \mathcal{U}_2, \dots$  is a sequence of disjoint sets from  $\mathbb{X}_P$ , then  $m_{PX}(\cup_i \mathcal{U}_i) = \sum_i m_{PX}(\mathcal{U}_i)$ . A fundamental property of probability that results from the preceding is

$$m_{PX}(\mathcal{U}) + m_{PX}(\mathcal{U}^c) = 1 \quad (2.19)$$

for  $\mathcal{U} \in \mathbb{X}_P$ . In contrast, less structure is imposed on  $m_{EX}$  as only the relationships in Eq. (2.16) – (2.18) are required to hold. Conceptually,  $m_{EX}(\mathcal{U})$  can be interpreted as the amount of information (i.e., level of credibility or probability) that can be assigned to  $\mathcal{U}$  but can in no known way be assigned to any subset of  $\mathcal{U}$ .

Probability theory has only one measure of uncertainty: probability, which is defined by the function  $m_{PX}$ . In contrast, evidence theory has two measures of uncertainty: belief and plausibility, which are derived

from the function  $m_{EX}$ . Specifically, the belief  $Bel_X(\mathcal{U})$  and plausibility  $Pl_X(\mathcal{U})$  of a subset  $\mathcal{U}$  of  $X_E$  are defined by

$$Bel_X(\mathcal{U}) = \sum_{\mathcal{V} \subset \mathcal{U}} m_{EX}(\mathcal{V}) \quad (2.20)$$

and

$$Pl_X(\mathcal{U}) = \sum_{\mathcal{V} \cap \mathcal{U} \neq \emptyset} m_{EX}(\mathcal{V}). \quad (2.21)$$

Intuitively,  $Bel_X(\mathcal{U})$  provides a measure of the amount of information that supports  $\mathcal{U}$  being true (e.g., that  $\mathcal{U}$  contains the true value for the epistemically uncertain quantity  $\mathbf{x}$ ), and  $Pl_X(\mathcal{U})$  provides a measure of the absence of information that supports  $\mathcal{U}$  being false (e.g., that  $\mathcal{U}$  does not contain the true value for the epistemically uncertain quantity  $\mathbf{x}$ ). Thus, for example,  $Bel_X(\mathcal{U}) = 0$  indicates that none of the available information unambiguously supports  $\mathcal{U}$  being true (i.e., no focal element of the evidence space is a subset of  $\mathcal{U}$ ), and  $Pl_X(\mathcal{U}) = 1$  indicates that none of the available information unambiguously supports  $\mathcal{U}$  being false (i.e., every focal element of the evidence space intersects  $\mathcal{U}$ ).

The preceding definitions and interpretations for belief and plausibility arise from viewing the BPA associated with a focal element of an evidence space as providing a measure of the amount of information that can be assigned to a set but cannot be specifically assigned to any subset of that set. Thus, as a result of the subset requirement in Eq. (2.20), belief provides a measure of the amount of information that has to be assigned to a set. In contrast, as a result of the intersection requirement in Eq. (2.21), plausibility provides a measure of the total amount of information that could possibly be assigned to a set or, equivalently, a measure of the absence of information that cannot be assigned to the set. The names belief and plausibility for the mathematical entities defined in Eqs. (2.20) and (2.21) are intuitively suggestive of the ideas indicated in the preceding discussion, with “belief” suggesting how strongly it is felt that something is true and “plausibility” suggesting how strongly it is felt that something might be true.

The following relationships hold for belief and plausibility and a subset  $\mathcal{U}$  of  $X_E$ :

$$Bel_X(\mathcal{U}) + Bel_X(\mathcal{U}^c) \leq 1 \quad (2.22)$$

$$Pl_X(\mathcal{U}) + Pl_X(\mathcal{U}^c) \geq 1 \quad (2.23)$$

$$Pl_X(\mathcal{U}) + Bel_X(\mathcal{U}^c) = 1. \quad (2.24)$$

Thus, unlike the probabilistic relationship in Eq. (2.19), the belief assigned to a set does not uniquely determine the belief assigned to its complement, and similarly, the plausibility assigned to a set does not uniquely determine the plausibility assigned to its complement. Further, (i) both a set and its complement can have beliefs that are equal to or close to zero, (ii) both a set and its complement can have plausibilities that are equal to or close to one, and (iii) a set can have plausibility close to one only if the belief in the complement of that set is close to zero.

As indicated in conjunction with Eq. (2.4), the use of probability theory to characterize the epistemic uncertainty associated with the vector  $\mathbf{x}$  in Eq. (2.2) is accomplished by assigning a probability distribution  $D_j$  to each element  $x_j$  of  $\mathbf{x}$ . In concept, this corresponds to developing a probability space  $(X_{Pj}, \mathbb{X}_{Pj}, m_{Pj})$  for each  $x_j$  and then developing the probability space  $(X_P, \mathbb{X}_P, m_{PX})$  characterizing the uncertainty in  $\mathbf{x}$  from these probability spaces. Of course, this level of formality is never used in practice as defining the  $D_j$  by specifying CDFs (or density functions, which give rise to CDFs) is all that is needed for the description and computational implementation of an analysis. However, the concept of probability spaces for the individual elements of  $\mathbf{x}$  is introduced to make a conceptual and notational connection with what is done when evidence theory is used to characterize the epistemic uncertainty associated with the elements of  $\mathbf{x}$ .

When evidence theory is used to represent the epistemic uncertainty associated with the elements of  $\mathbf{x}$ , an evidence space  $(X_{Ej}, \mathbb{X}_{Ej}, m_{Ej})$  is defined to characterize the uncertainty associated with each element  $x_j$  of  $\mathbf{x}$ , where (i)  $X_{Ej}$  is the set of possible values for  $x_j$ , (ii)

$$\mathbb{X}_{Ej} = \{\mathcal{U}_{j1}, \mathcal{U}_{j2}, \dots, \mathcal{U}_{j,n(j)}\} \quad (2.25)$$

is the set of focal elements for  $x_j$ , and (iii) the function  $m_{Ej}$  defines the BPA for each subset of  $X_{Ej}$ . In turn, the evidence spaces  $(X_{Ej}, \mathbb{X}_{Ej}, m_{Ej})$  for the individual elements of  $\mathbf{x}$  give rise to the evidence space  $(X_E, \mathbb{X}_E, m_{EX})$  for  $\mathbf{x}$ . Specifically,

$$X_E = X_{E1} \times X_{E2} \times \dots \times X_{E,nX}, \quad (2.26)$$

$$\mathbb{X}_E = \left\{ \mathcal{U} : \mathcal{U} = \mathcal{U}_{1r} \times \mathcal{U}_{2s} \times \dots \times \mathcal{U}_{nX,t}, 1 \leq r \leq n(1), \right. \\ \left. 1 \leq s \leq n(2), \dots, 1 \leq t \leq n(nX) \right\} \quad (2.27)$$

and

$$m_{EX}(\mathcal{U}) = \begin{cases} m_{E1}(\mathcal{U}_{1r}) m_{E2}(\mathcal{U}_{2s}) \dots m_{E,nX}(\mathcal{U}_{nX,t}) \\ \text{if } \mathcal{U} = \mathcal{U}_{1r} \times \mathcal{U}_{2s} \times \dots \times \mathcal{U}_{nX,t} \in \mathbb{X}_E \\ 0 \text{ otherwise.} \end{cases} \quad (2.28)$$

The number of sets (i.e., focal elements) in  $\mathbb{X}_E$  is given by

$$n = \prod_{j=1}^{nX} n(j), \quad (2.29)$$

which can become quite large as  $nX$  and the individual  $n(j)$ 's increase in size. The preceding definition for  $(\mathcal{X}_E, \mathbb{X}_E, m_{EX})$  is based on the assumption that the  $x_j$ 's are independent. The development of an evidence space for  $\mathbf{x}$  is considerably more complicated if the  $x_j$ 's are not independent and is not considered here.<sup>121</sup>

As indicated in conjunction with Eq. (2.5), characterization of the epistemic uncertainty in  $\mathbf{x}$  with probability (i.e., with the uncertainty in  $\mathbf{x}$  characterized by a probability space  $(\mathcal{X}_P, \mathbb{X}_P, m_{PX})$ ) results in the uncertainty in  $y = f(\mathbf{x})$  also being characterized by a probability space  $(\mathcal{Y}_P, \mathbb{Y}_P, m_{PY})$  that derives from the properties of  $(\mathcal{X}_P, \mathbb{X}_P, m_{PX})$  and the function  $f$ . Similarly, the characterization of the epistemic uncertainty in  $\mathbf{x}$  with an evidence theory representation (i.e., with the uncertainty in  $\mathbf{x}$  characterized by an evidence space  $(\mathcal{X}_E, \mathbb{X}_E, m_{EX})$ ) results in the uncertainty in  $y = f(\mathbf{x})$  also being characterized by an evidence space  $(\mathcal{Y}_E, \mathbb{Y}_E, m_{EY})$  that derives from the properties of  $(\mathcal{X}_E, \mathbb{X}_E, m_{EX})$  and the function  $f$ .

In practice, the evidence space  $(\mathcal{Y}_E, \mathbb{Y}_E, m_{EY})$  is unlikely to be constructed in a real analysis. If  $f$  is expensive to evaluate, the computational cost of generating a reasonable approximation to  $(\mathcal{Y}_E, \mathbb{Y}_E, m_{EY})$  is likely to be prohibitive. Instead, the uncertainty associated with  $y$  is likely to be summarized with a cumulative belief function and a cumulative plausibility function (i.e., a CBF and a CPF) or a complementary cumulative belief function and a complementary cumulative plausibility function (i.e., a CCBF and a CCPF). Simi-

larly to the defining probabilities for a CDF and CCDF in Eqs. (2.6) and (2.7), the defining beliefs and plausibilities for a CBF, CCBF, CPF and CCPF are given by

$$Bel_Y(\tilde{y} \leq y) = \sum_{\mathcal{U} \subset \mathcal{U}_y} m_{EY}(\mathcal{U}), \quad (2.30)$$

$$Bel_Y(\tilde{y} > y) = \sum_{\mathcal{U} \subset \mathcal{U}_y^c} m_{EY}(\mathcal{U}), \quad (2.31)$$

$$Pl_Y(\tilde{y} \leq y) = \sum_{\mathcal{U} \cap \mathcal{U}_y \neq \emptyset} m_{EY}(\mathcal{U}) \quad (2.32)$$

and

$$Pl_Y(\tilde{y} > y) = \sum_{\mathcal{U} \cap \mathcal{U}_y^c \neq \emptyset} m_{EY}(\mathcal{U}), \quad (2.33)$$

respectively, where

$$\mathcal{U}_y = \{ \tilde{y} : \tilde{y} \in \mathcal{Y}_E \text{ and } \tilde{y} \leq y \}. \quad (2.34)$$

is the set of all values in  $\mathcal{Y}_E$  that are less than or equal to  $y$ .

The CBF, CCBF, CPF and CCPF for  $y$  are then formally defined by the sets

$$CBF = \left\{ [y, Bel_Y(\tilde{y} \leq y)] : y \in \mathcal{Y}_E \right\}, \quad (2.35)$$

$$CCBF = \left\{ [y, Bel_Y(\tilde{y} > y)] : y \in \mathcal{Y}_E \right\}, \quad (2.36)$$

$$CPF = \left\{ [y, Pl_Y(\tilde{y} \leq y)] : y \in \mathcal{Y}_E \right\} \quad (2.37)$$

and

$$CCPF = \left\{ [y, Pl_Y(\tilde{y} > y)] : y \in \mathcal{Y}_E \right\}, \quad (2.38)$$

respectively. Analogous definitions for a CDF and a CCDF are given in Eqs. (2.11) and (2.12).

As formally presented in Eqs. (2.30) – (2.33), the evaluation of  $Bel_Y(\tilde{y} \leq y)$ ,  $Bel_Y(\tilde{y} > y)$ ,  $Pl_Y(\tilde{y} \leq y)$  and  $Pl_Y(\tilde{y} > y)$  requires knowledge of all the focal elements in  $\mathbb{Y}_E$  and their associated BPAs. Such information is unlikely to be determined in a real analysis. Rather, a more likely approach is to use a sampling-based procedure to estimate  $Bel_Y(\tilde{y} \leq y)$ ,  $Bel_Y(\tilde{y} > y)$ ,

$Pl_Y(\tilde{y} \leq y)$  and  $Pl_Y(\tilde{y} > y)$ . With this approach, the indicated beliefs and plausibilities are estimated by

$$\begin{aligned} CBF &= \left\{ \left[ y, Bel_X \left( f^{-1} \left[ \mathcal{U}_y \right] \right) \right] : y \in \mathcal{Y}_E \right\} \\ &= \left\{ \left[ y, 1 - Pl_X \left( f^{-1} \left[ \mathcal{U}_y^c \right] \right) \right] : y \in \mathcal{Y}_E \right\} \\ &\equiv \left\{ \left[ y_i, 1 - Pl_X \left( \left\{ \mathbf{x}_j : y_j > y_i \right\} \right) \right] : i = 1, 2, \dots, nS \right\}, \end{aligned} \quad (2.39)$$

$$\begin{aligned} CCBF &= \left\{ \left[ y, Bel_X \left( f^{-1} \left[ \mathcal{U}_y^c \right] \right) \right] : y \in \mathcal{Y}_E \right\} \\ &= \left\{ \left[ y, 1 - Pl_X \left( f^{-1} \left[ \mathcal{U}_y \right] \right) \right] : y \in \mathcal{Y}_E \right\} \\ &\equiv \left\{ \left[ y_i, 1 - Pl_X \left( \left\{ \mathbf{x}_j : y_j \leq y_i \right\} \right) \right] : i = 1, 2, \dots, nS \right\}, \end{aligned} \quad (2.40)$$

$$\begin{aligned} CPF &= \left\{ \left[ y, Pl_X \left( f^{-1} \left[ \mathcal{U}_y \right] \right) \right] : y \in \mathcal{Y}_E \right\} \\ &\equiv \left\{ \left[ y_i, Pl_X \left( \left\{ \mathbf{x}_j : y_j \leq y_i \right\} \right) \right] : i = 1, 2, \dots, nS \right\}, \end{aligned} \quad (2.41)$$

and

$$\begin{aligned} CCPF &= \left\{ \left[ y, Pl_X \left( f^{-1} \left[ \mathcal{U}_y^c \right] \right) \right] : y \in \mathcal{Y}_E \right\} \\ &\equiv \left\{ \left[ y_i, Pl_X \left( \left\{ \mathbf{x}_j : y_j > y_i \right\} \right) \right] : i = 1, 2, \dots, nS \right\}, \end{aligned} \quad (2.42)$$

where

$$[\mathbf{x}_i, y_i] = [\mathbf{x}_i, f(\mathbf{x}_i)], i = 1, 2, \dots, nS, \quad (2.43)$$

is a mapping between  $\mathcal{X}_E$  and  $\mathcal{Y}_E$  defined by a suitable sample from  $\mathcal{X}_E$ . The conversion from belief to plausibility in Eqs. (2.39) and (2.40) through the use of the equality in Eq. (2.24) is necessary because the subset relationship that defines belief cannot be determined with a finite sample when the sets  $\mathcal{U}_y$  and  $\mathcal{U}_y^c$  contain infinitely many elements (which is usually the case).

In concept, any sampling strategy can be used to generate the mapping in Eq. (2.43) as long as the sampled points provide adequate coverage of the focal elements in  $\mathcal{X}_E$  as the sample size  $nS$  increases (e.g., provided the sampled points tend to become dense in  $\mathcal{X}_E$  as  $nS$  increases).<sup>122, 123</sup> If the focal elements for the elements  $x_j$  of  $\mathbf{x}$  are intervals of the form

$$\mathcal{U}_{jk} = \{x_j : a_{jk} \leq x_j \leq b_{jk}\}, \quad (2.44)$$

then a sampling distribution for each  $x_j$  for use in generating the mapping in Eq. (2.43) can be defined by the density function

$$d_j(x_j) = \sum_{k=1}^{n(j)} \delta(x_j | \mathcal{U}_{jk}) m_{Ej}(\mathcal{U}_{jk}) / (b_{jk} - a_{jk}), \quad (2.45)$$

where

$$\delta(x_j | \mathcal{U}_{jk}) = \begin{cases} 1 & \text{if } x_j \in \mathcal{U}_{jk} \\ 0 & \text{if } x_j \notin \mathcal{U}_{jk}. \end{cases} \quad (2.46)$$

Then, the corresponding sampling distribution for  $\mathbf{x}$  is defined by the density function

$$d(\mathbf{x}) = \prod_{j=1}^{nX} d_j(x_j). \quad (2.47)$$

This distribution is appealing as it preserves some of the character and emphasis of the underlying evidence space  $(\mathcal{X}_E, \mathcal{X}_E, m_E)$  that has been developed from the evidence spaces  $(\mathcal{X}_{Ej}, \mathcal{X}_{Ej}, m_{Ej})$ ,  $j = 1, 2, \dots, nX$ , defined for the individual components of  $\mathbf{x}$ .

Unfortunately, there is a dimensionality challenge in the implementation of calculations involving evidence theory representations for uncertainty. Specifically, the cardinality  $n$  of  $\mathcal{X}_E$  defined in Eq. (2.29) increases rapidly with increasing values for the number of  $nX$  of components of  $\mathbf{x}$  and the number  $n(j)$  of focal elements associated with each component  $x_j$  of  $\mathbf{x}$ . For example,

$$n = \prod_{j=1}^{nX} n(j) = 10^{15} \quad (2.48)$$

when  $nX = 15$  and  $n(j) = 10$  for  $j = 1, 2, \dots, nX$ . The computational challenge results because obtaining evidence theory results for  $y$  (e.g., as defined by the CBF, CCBF, CPF and CCPF in Eqs. (2.35) – (2.38) and the

associated approximations in Eqs. (2.39) – (2.42) effectively requires determining, or at least estimating, the minimum and maximum value of  $y$  for each focal element in  $\mathbb{X}_E$ . When  $n$  is large and/or the evaluation of  $f(\mathbf{x})$  is computationally demanding, the number of evaluations of  $f(\mathbf{x})$  needed to obtain the approximations of the CBF, CCBF, CPF and CCPF for  $y$  in Eqs. (2.39)

– (2.42) or to directly estimate the BPAs for all focal elements associated with the evidence space  $(\mathcal{Y}_E, \mathbb{Y}_E, m_{EY})$  is computationally impracticable. The purpose of this presentation is to describe a computational strategy for the determination of the CBF, CCBF, CPF and CCPF for  $y$  that can be successfully employed when the cardinality  $n$  of  $\mathbb{X}_E$  is large.

This page intentionally left blank.



### 3. Computational Strategy for Estimating CBF, CCBF, CPF and CCPF for $y$

The computational strategy for estimating the CBF, CCBF, CPF and CCPF for  $y$  involves the following initial steps:

Step 1. Define a sampling distribution for  $\mathbf{x}$  based on the specified evidence theory structure for the uncertain model inputs. The probability distribution defined by the density function in Eq. (2.47) is recommended for use here because of its match to the general character of the evidence space for  $\mathbf{x}$ .

Step 2. Generate a Latin hypercube sample<sup>56-59</sup> from the uncertain inputs with the sampling distribution defined in Step 1. The outcome of this step is a sample of the form indicated in Eq. (2.10). In general, analyses will contain large numbers of both uncertain input variables and uncertain predicted variables (i.e.,  $nX$  and  $nY$  as indicated in Eqs. (2.2) and (2.3)). As a result, it is difficult to develop an *a priori* sampling plan based on anticipated relationships between the elements of  $\mathbf{x}$  and the elements of  $\mathbf{y}$ . Under these conditions, Latin hypercube sampling is a very effective sampling strategy because its dense stratification across the range of each uncertain input results in a good representation of model behavior regardless of which predicted variable is under consideration and which elements of  $\mathbf{x}$  actually affect the uncertainty in this variable.<sup>124-127</sup>

Step 3. Propagate the sample generated in Step 2 through the model to obtain values for all model results of interest. Specifically, this corresponds to generating the mapping between uncertain input variables and uncertain predicted variables indicated in Eq. (2.15), where in general  $y_i$  is a vector of dimension  $nY$  rather than a scalar. This will be the most computationally demanding part of most real analyses.

The following additional steps are then performed individually for each model result  $y$  of interest. As previously indicated, most analyses will involve the consideration of a large number of individual results.

Step 4. Perform a sensitivity analysis to identify which of the uncertain model inputs, say  $x_1, x_2, \dots, x_r$ , ordered by importance, are significant contributors to the uncertainty associated with  $y$ . This sensitivity analysis is based on an exploration of the mapping in Eq. (2.15) generated in Step 3 for the particular  $y$  under

consideration. A variety of sensitivity analysis procedures are available for use in this step.<sup>69, 128-131</sup>

Step 5. Use the results of Step 3 and an appropriate regression procedure to develop a response surface approximation to  $y$  as a function of  $x_1, x_2, \dots, x_r$ . Both parametric and nonparametric regression models are possible procedures for use.<sup>132</sup> However, when complex relationships between  $y$  and the  $x_j$ 's are present, it is likely that nonparametric procedures will be required in order to obtain a reasonable response surface approximation to  $y$ . If the response surface construction is carried out in a stepwise manner in which (i) the most important element of  $\mathbf{x}$  with respect to the uncertainty in  $y$  is selected first (i.e.,  $x_1$ ) and the corresponding response surface constructed, (ii) then the next most important element of  $\mathbf{x}$  with respect to the uncertainty in  $y$  is selected (i.e.,  $x_2$ ) and the corresponding response surface constructed with  $x_1$  and  $x_2$ , and (iii) this process continues until no more elements of  $\mathbf{x}$  are determined to affect  $y$ , then this stepwise procedure also provides the sensitivity analysis results indicated in Step 4.

Step 6. Generate a "large" random sample from the uncertain inputs in consistency with the sampling distribution defined in Step 1 and use the response surface for  $y$  constructed in Step 5 to estimate  $y$  for each element of this sample. This creates a mapping between  $x_1, x_2, \dots, x_r$  and  $y$  of the form indicated in Eq. (2.43). However, unlike the mapping in Eq. (2.43), this mapping only involves the  $x_j$ 's that the sensitivity analysis in Step 4 identified as being important with respect to the uncertainty in  $y$ . If desired, the indicated random sample could be generated immediately after Step 3; then, the same random sample would be used in the analysis for each element of  $\mathbf{y}$ .

Step 7. Perform a sequential construction of the CBF, CCBF, CPF and CCPF for  $y$  with the response surface results from Step 6. In this sequential construction, a CBF, CCBF, CPF and CCPF are first estimated for  $y$  as indicated in Eqs. (2.39)-(2.42) with  $x_1$  assigned its specified evidence space and  $x_2, x_3, \dots, x_r$  assigned degenerate evidence spaces (i.e., evidence spaces in which the sample space is given a basic probability assignment of one); then, a CBF, CCBF, CPF and CCPF are estimated for  $y$  as indicated in Eqs. (2.39) – (2.42) with  $x_1$  and  $x_2$  assigned their specified evidence spaces and  $x_3, x_4, \dots, x_r$  assigned degenerate evidence spaces; the process continues in this manner until the CBFs, CCBFs, CPFs and CCPFs for  $y$  no longer show meaningful change with the consideration of the specified evidence spaces for additional variables or the specified evidence spaces for all the variables identified

in the sensitivity analysis performed at Step 5 (i.e.,  $x_1, x_2, \dots, x_r$ ) have been incorporated into a CBF, CCBF, CPF and CCPF for  $y$ .

The indicated approach to the construction of CBFs, CCBFs, CPFs and CCPFs for model predictions has several desirable features, including (i) efficient use of model evaluations, (ii) capability to consider many different model predictions with the same set of model evaluations, (iii) mitigation of the dimensionality problem that hinders the propagation of evidence theory structures through a model when a large number of uncertain model inputs is under consideration, (iv) an

“outside-in” approximation of CBFs, CCBFs, CPFs and CCPFs that always bounds the actual CBF, CCBF, CPF and CCPF for a model prediction (see Sect. 7, Ref. 133), and (v) the capability to generate a variety of sensitivity analysis results.

The preceding computational procedure is illustrated with a problem involving the determination of the probability of loss of assured safety for a weak link/strong link system in a fire environment. The problem itself is described in next section (Sect. 4) and then the operation of the computational procedure is illustrated in the following section (Sect. 5).

#### 4. Example for Illustration

The example involves a system with two weak links (WLs) and two strong links (SLs) in an accident involving a fire that has the potential to result in a condition that could allow an unintended, and undesirable, operation of the system and is adapted from an example presented in Sect. 6 of Ref. 134. The role of the SLs is to permit operation of the system only under intended conditions. The role of the WLs is to fail under accident conditions and thereby render the system incapable of operation. The failure of both SLs before the failure of either WL is considered to be the undesirable event as this places the system in a configuration in which an activating signal could result in operation of the system. The likelihood that such a configuration occurs conditional on a specific type of accident is referred to as probability of loss of assured safety (PLOAS). As previously indicated, the problem under consideration involves a fire accident with heating of the WLs and SLs. In essence, there is a race (i.e., a competing risk<sup>135-138</sup>) to determine whether the SLs or the WLs fail first as they increase in temperature. The indicated probability (i.e., PLOAS) derives from the assumption that the exact temperatures at which the individual links will fail is not known precisely. Rather, there is assumed to be a random (i.e., aleatory) uncertainty resulting from manufacturing variability that determines the exact temperatures at which the individual links fail.

The formal representation for PLOAS is based on the following system properties for  $j = 1, 2$  and  $k = 1, 2$ :

$$TMPWL_j(t) = \text{temperature } (^\circ\text{C}) \text{ of WL } j \text{ at time } t \text{ (min),} \quad (4.1)$$

$$TMPSL_k(t) = \text{temperature } (^\circ\text{C}) \text{ of SL } k \text{ at time } t \text{ (min),} \quad (4.2)$$

$$fWL_j(T) = \text{density function } (^\circ\text{C}^{-1}) \text{ for failure temperature of WL } j, \quad (4.3)$$

and

$$fSL_k(T) = \text{density function } (^\circ\text{C}^{-1}) \text{ for failure temperature of SL } k. \quad (4.4)$$

Further, time is assumed to range from  $tMN$  to  $tMX$  with

$$TMNSL_k = TMPSL_k(tMN), TMXSL_k = TMPSL_k(tMX) \quad (4.5)$$

and  $TMPSL_j(t)$  and  $TMPSL_k(t)$  are assumed to be increasing functions of time.

Given the properties in Eqs. (4.1) – (4.5) and the assumption that a link fails immediately upon reaching its failure temperature, the numeric value  $pF$  for PLOAS is given by

$$\begin{aligned} pF = & \sum_{k=1}^2 \int_{TMNSL_k}^{TMXSL_k} fSL_k(T_{SL}) \\ & \times \left\{ \prod_{\substack{l=1 \\ l \neq k}}^2 I \left[ -\infty, TMPSL_l \left[ TMPSL_k^{-1}(T_{SL}) \right], fSL_l \right] \right\} \\ & \times \left\{ \prod_{j=1}^2 I \left[ TMPWL_j \left[ TMPSL_k^{-1}(T_{SL}) \right], \infty, fWL_j \right] \right\} \\ & \times dT_{SL}, \end{aligned} \quad (4.6)$$

where

$$I(a, b, f) = \int_a^b f(T) dT$$

is used for notational convenience. A derivation of the preceding result for an arbitrary number of WLs and an arbitrary number of SLs is presented in conjunction with Eq. (4.9) of Ref. [139].

In a real problem, the temperature curves  $TMPSL_j(t)$  and  $TMPSL_k(t)$  would be determined by the numerical solution of a system of nonlinear partial differential equations. However, for the present example, these curves are assumed to be defined by

$$\begin{aligned} TMPWL_j(t) = & c_1 + \left[ c_2 + c_{3j} \exp(-c_{4j}t) \sin(c_{5j}t) \right] \\ & \times \tanh(c_{6j}t) \end{aligned} \quad (4.7)$$

$$TMPSL_k(t) = c_1 + c_2 \tanh[c_{62}(1 + c_{7k})t], \quad (4.8)$$

where the assumed functional forms mimic results observed in actual analyses. The nature of the constants (i.e., the  $c$ 's) in Eqs. (4.7) and (4.8) is indicated in Table 1. Further, the density functions  $fWL_j(T_{WL})$  and  $fSL_k(T_{SL})$  are defined by

$$f_{WL_j}(T_{WL}) = (1/c_9 \sqrt{2\pi}) \exp\left[-(T_{WL} - c_8)^2 / 2c_9^2\right] \quad (4.9)$$

$$f_{SL_k}(T_{SL}) = (1/c_{11} \sqrt{2\pi}) \exp\left[-(T_{SL} - c_{10})^2 / 2c_{11}^2\right]. \quad (4.10)$$

Again, the nature of the constants (i.e., the  $c$ 's) in Eqs. (4.9) and (4.10) is indicated in Table 1. Further, the two WL failure temperature distributions are assumed to be independent (i.e., although the two WLs have the same distributional form for failure temperature, the failure temperatures for the two WLs are independent). A similar assumption is made for the SL failure temperature distributions.

The sixteen variables used to characterize the system defined by Eqs. (4.6) – (4.10) are treated as being epistemically uncertain (Table 1). Each variable has an uncertainty range  $[a, b]$  as indicated in Table 1. For simplicity, it is assumed that the uncertainty in each variable's possible values is specified in the same manner by four independent experts (Table 2). Such consistency would not be the case in a real analysis but providing different uncertainty specifications for each variable would complicate the presentation of this example while adding little to its illustrative value. The information indicated in Table 2 is encoded into an evidence space representation for the uncertainty asso-

ciated with each variable by interpreting the given probabilities as BPAs for the corresponding intervals (i.e.,  $I_{11}$  for Expert 1, and  $I_{ij}$ ,  $j = 1, 2, \dots, 5$  for Expert  $i$ ,  $i = 2, 3, 4$ ). Specifically, the BPA  $m_i$  associated with Expert  $i$  is given by

$$m_i(\mathcal{U}) = \begin{cases} \text{prob}_i(\mathcal{U}) & \text{if } \mathcal{U} \in \mathbb{E}_i \\ 0 & \text{otherwise} \end{cases} \quad (4.11)$$

for an arbitrary set  $\mathcal{U}$  of points from  $[a, b]$ , where  $\mathbb{E}_1 = \{I_{11}\}$  and  $\mathbb{E}_i = \{I_{ij}, j = 1, 2, \dots, 5\}$  for  $i = 2, 3, 4$ . The BPAs from the individual experts are then equally weighted to produce a final BPA  $m$ . In particular, this final BPA is given by

$$m(\mathcal{U}) = \sum_{i=1}^{nE} m_i(\mathcal{U}) / nE, \quad (4.12)$$

where  $nE = 4$  is the number of experts and  $\mathcal{U}$  is an arbitrary subset of points from  $[a, b]$ . The preceding procedure results in an evidence space with 13 focal elements for each variable in Table 1 (Table 3). In turn, a probability distribution for use in sampling can be defined for each variable as indicated in Eq. (2.45). The form of the CPF, CDF, CBF, CCPF, CCDF and CCBF that results for each variable is shown in Fig. 1.

Table 1. Uncertain Variables and Associated Uncertainty Ranges Considered in Example Uncertainty Analyses (Adapted from Table 1, Ref. 134)

---

$c_1$	– Temperature ( $^{\circ}\text{C}$ ) of WLs and SLs before start of fire. Range: $[-30, 40^{\circ}\text{C}]$ .
$c_2$	– Temperature increase ( $^{\circ}\text{C}$ ) above $c_1$ at steady state. Range: $[800, 1000^{\circ}\text{C}]$ .
$c_{31}$	– Peak amplitude of temperature transient for WL 1. Range: $[-2600, -100^{\circ}\text{C}]$ .
$c_{32}$	– Peak amplitude of temperature transient for WL 2. Range: $[-2600, -100^{\circ}\text{C}]$ .
$c_{41}$	– Thermal heating time constant ( $\text{min}^{-1}$ ) for WL 1. Range: $[0.2, 0.4 \text{ min}^{-1}]$ .
$c_{42}$	– Thermal heating time constant ( $\text{min}^{-1}$ ) for WL 2. Range: $[0.2, 0.4 \text{ min}^{-1}]$ .
$c_{51}$	– Frequency response ( $\text{min}^{-1}$ ) of temperature transient for WL 1. Range: $[0.1, 0.2 \text{ min}^{-1}]$ .
$c_{52}$	– Frequency response ( $\text{min}^{-1}$ ) of temperature transient for WL 2. Range: $[0.1, 0.2 \text{ min}^{-1}]$ .
$c_{61}$	– Time constant ( $\text{min}^{-1}$ ) determining the rate at which WL 1 reaches steady state temperature. Range: $[0.01, 0.015 \text{ min}^{-1}]$ .
$c_{62}$	– Time constant ( $\text{min}^{-1}$ ) determining the rate at which WL 2 reaches steady state temperature. Range: $[0.021, 0.025 \text{ min}^{-1}]$ .
$c_{71}$	– Factor (dimensionless) used to account for more rapid heating in SL 1 than in the associated WL (i.e., WL 2). Range: $[0.3, 0.5]$ .
$c_{72}$	– Factor (dimensionless) used to account for more rapid heating in SL 2 than in the associated WL (i.e., WL 2). Range: $[0.6, 2.0]$ .
$c_8$	– Expected value ( $^{\circ}\text{C}$ ) of normal distribution for WL failure temperatures. Range: $[285, 315^{\circ}\text{C}]$ .
$c_9$	– Standard deviation ( $^{\circ}\text{C}$ ) of normal distribution for WL failure temperatures. Range: $[4, 12^{\circ}\text{C}]$ .
$c_{10}$	– Expected value ( $^{\circ}\text{C}$ ) of normal distribution for SL failure temperature. Range: $[560, 580^{\circ}\text{C}]$ .
$c_{11}$	– Standard deviation ( $^{\circ}\text{C}$ ) of normal distribution for SL failure temperature. Range: $[15, 35^{\circ}\text{C}]$ .

---

Table 2. Illustrative Specification of Uncertainty Information Used in Example Uncertainty Analyses with Probability Theory and Evidence Theory for Variables in Table 1 (Table 2, Ref. 134)

---

Expert 1:	States appropriate value for variable is in the interval $I_{11} = [a, b]$ but provides no information on uncertainty structure within $[a, b]$ .
Expert 2:	Divides $[a, b]$ into five nonoverlapping intervals of equal length (i.e., $I_{2i} = [a + (b - a)(i - 1)/5, a + (b - a)i/5]$ for $i = 1, 2, 3, 4$ and $I_{25} = [a + (b - a)(i - 1)/5, a + (b - a)i/5]$ for $i = 5$ ) and states that the appropriate value for the variable is equally likely to be in each of these intervals.
Expert 3:	Divides $[a, b]$ into following five nonoverlapping intervals: $I_{31} = [a, a + (b - a)/10]$ , $I_{32} = [a + (b - a)/10, a + 4(b - a)/10]$ , $I_{33} = [a + 4(b - a)/10, a + 6(b - a)/10]$ , $I_{34} = [a + 6(b - a)/10, a + 9(b - a)/10]$ , $I_{35} = [a + 9(b - a)/10, b]$ . States that the probability (i.e., likelihood) that the appropriate value for the variable is contained in each of these intervals is 0.05, 0.2, 0.5, 0.2 and 0.05, respectively.
Expert 4:	Divides $[a, b]$ into following five nested intervals: $I_{41} = [a + 4(b - a)/10, a + 6(b - a)/10]$ , $I_{42} = [a + 3(b - a)/10, a + 7(b - a)/10]$ , $I_{43} = [a + 2(b - a)/10, a + 8(b - a)/10]$ , $I_{44} = [a + (b - a)/10, a + 9(b - a)/10]$ , $I_{45} = [a, b]$ . States that amount of probability (i.e., likelihood) that can be assigned to the proposition that a given interval contains the appropriate value to use for the variable is 0.2.


---

Table 3. Basic Probability Assignments (BPAs) for a Variable on the Interval  $[a, b]$  Derived from the Information in Table 2 (Table 3, Ref. 134)

---

$m(\mathcal{U})$	$= 3/10$ if $\mathcal{U} = I_1 = [a, b]$
	$= 1/20$ if $\mathcal{U} = I_2 = [a, a + (b - a)/5]$
	$= 1/20$ if $\mathcal{U} = I_3 = [a + (b - a)/5, a + 2(b - a)/5]$
	$= 9/40$ if $\mathcal{U} = I_4 = [a + 2(b - a)/5, a + 3(b - a)/5]$
	$= 1/20$ if $\mathcal{U} = I_5 = [a + 3(b - a)/5, a + 4(b - a)/5]$
	$= 1/20$ if $\mathcal{U} = I_6 = [a + 4(b - a)/5, b]$
	$= 1/80$ if $\mathcal{U} = I_7 = [a, a + (b - a)/10]$
	$= 1/20$ if $\mathcal{U} = I_8 = [a + (b - a)/10, a + 4(b - a)/10]$
	$= 1/20$ if $\mathcal{U} = I_9 = [a + 6(b - a)/10, a + 9(b - a)/10]$
	$= 1/80$ if $\mathcal{U} = I_{10} = [a + 9(b - a)/10, b]$
	$= 1/20$ if $\mathcal{U} = I_{11} = [a + 3(b - a)/10, a + 7(b - a)/10]$
	$= 1/20$ if $\mathcal{U} = I_{12} = [a + 2(b - a)/10, a + 8(b - a)/10]$
	$= 1/20$ if $\mathcal{U} = I_{13} = [a + (b - a)/10, a + 9(b - a)/10]$
	$= 0$ otherwise
	1.0

---



TR05-JR001-0.doc

Fig. 1. Form of the CPF, CDF, CBF, CCPF, CCDF and CCBF that results for each variable from the uncertainty information in Table 2 with variable range normalized to  $[0, 1]$ .

## 5. Example Results

For this example,

$$\mathbf{x} = [x_1, x_2, \dots, x_{16}] = [c_1, c_2, c_{31}, \dots, c_{11}] \quad (5.1)$$

corresponds to the  $nX = 16$  variables in Table 1. Further, the dependent variables selected for possible analysis correspond to

$$\begin{aligned} \mathbf{y} &= [y_1, y_2, \dots, y_5] \\ &= [WL1T25, WL1T75, SL1T25, SL1T75, pF], \end{aligned} \quad (5.2)$$

where (i) *WL1T25* and *WL1T75* are the temperatures of WL 1 at 25 and 75 min, respectively (see Eq. (4.7)), (ii) *SL1T25* and *SL1T75* are defined similarly for SL 1 (see Eq. (4.8)) and (iii) *pF* is the PLOAS (see Eq. (4.6)). Given the time dependency of the results and the presence of multiple WLs and SLs, a real analysis would probably consider many more uncertain results than the five indicated above. The individual steps in the computational strategy for estimating CBFs, CCBFs, CPFs and CCPFs for model results are now illustrated.

### 5.1 Step 1: Define Sampling Distribution

The sampling distribution for each uncertain variable is defined as shown in Eq. (2.45). Specifically, this results in a distribution with a density function defined by

$$d_j(x_j) = \sum_{k=1}^{13} \delta(x_j | \mathcal{U}_k) m(\mathcal{U}_k) / L(I_k), \quad (5.3)$$

where  $I_k$ ,  $\mathcal{U}_k = I_k$  and  $m(\mathcal{U}_k)$  are defined in Table 3,  $L(I_k)$  is the length of the interval  $I_k$ , and the indicator variable  $\delta(x_j | \mathcal{U}_k)$  is defined in Eq. (2.46). The form of the CDF and CCDF associated with this distribution is shown in Fig. 1.

### 5.2 Step 2: Generate Latin Hypercube Sample

A Latin hypercube sample<sup>56-59</sup>

$$\mathbf{x}_i = [x_{i1}, x_{i2}, \dots, x_{i16}], i = 1, 2, \dots, nS, \quad (5.4)$$

of size  $nS = 200$  was generated from the possible values for  $\mathbf{x}$  in consistency with the distributions defined by the density functions in Eq. (5.3). Further, the Iman/Conover restricted pairing technique was used in the generation of this sample to assure that no spurious correlations between the sampled variables are present.<sup>140, 141</sup>

### 5.3 Step 3: Propagate Sample Through Model


The model is evaluated for each element of the sample in Eq. (5.4). This produces the mapping

$$\begin{aligned} [\mathbf{x}_i, \mathbf{y}_i] &= [\mathbf{x}_i, WL1T25_i, WL1T75_i, \\ &SL1T25_i, SL2T75_i, pF_i] \end{aligned} \quad (5.5)$$

for  $i = 1, 2, \dots, nS = 200$  from uncertain inputs to uncertain results. As shown in Fig. 2, the analysis actually produces time-dependent values for the WL and SL temperatures. Such time-dependence is typical of the results obtained in large analyses. The values for the temperature results in Eq. (5.5) correspond to the results associated with vertical lines drawn through the time-temperature curves in Fig. 2 at times of 25 and 75 min. The values for *pF* in Eq. (5.5) are summarized by the CCDF in Fig. 3.


### 5.4 Step 4: Perform Sensitivity Analysis

This step involves carrying out a sensitivity analysis to determine the dominant contributions to the uncertainty in each element of  $\mathbf{y}$ . This analysis is based on exploring the mapping between analysis inputs and analysis results in Eq. (5.5). Many procedures exist that might be used in this exploration, including correlation and partial correlation analysis with raw or rank-transformed data, linear regression analysis with raw or rank-transformed data, statistical tests for patterns based on gridding, entropy tests for patterns based on gridding, squared rank differences/rank correlation test, two dimensional Kolmogorov-Smirnov test, and tests for patterns based on distance measures.<sup>69</sup> Additional information on sampling-based sensitivity analysis is available in a number of reviews.<sup>128-131, 142-148</sup>



TR05-JR002-0.doc

Fig. 2. Time-dependent curves for WLs and SLs obtained with Latin hypercube sample with 100 curves from sample of size 200 shown.



TR05-JR003-0.doc

Fig. 3. Values for  $pF$  obtained with Latin hypercube sample of size 200 shown as a CCDF.



For illustration, the results of a sensitivity analysis with stepwise rank regression<sup>149</sup> are presented in Table 4, with variable importance indicated by order of selection in the stepwise procedure, the absolute value of the standardized rank regression coefficients (SRRCs) in the final regression model, and incremental changes in  $R^2$  values as additional variables are added to the model (see Sect. 6.6.6, Ref. [129], for a discussion of sensitivity analysis with rank regression). For example, the three dominant variables contributing to the uncertainty in *WLIT25* are  $c_{61}$ ,  $c_1$  and  $c_2$ .

## 5.5 Step 5: Develop Response Surface Approximation

This step involves developing response surface replacements for the original model with the variables identified as being important in Step 4. The most computationally efficient way to do this is to simply take the important variables identified for each component of  $\mathbf{y}$  as a group and construct a corresponding response surface approximation with an appropriate procedure. A possibility is to use parametric regression techniques. In this case, the constructed model for a component  $y$  of  $\mathbf{y}$  might involve a linear regression (LIN\_REG) of the form

$$\hat{y} = b_0 + \sum_{j=1}^r b_j x_j \quad (5.6)$$

or a response surface regression (RS\_REG) of the form

$$\hat{y} = b_0 + \sum_{j=1}^r b_j x_j + \sum_{j=1}^r \sum_{l=j}^r b_{jl} x_j x_l, \quad (5.7)$$

where  $x_1, x_2, \dots, x_r$  are the important variables affecting  $y$  identified at Step 4. The constructions in Eqs. (5.6) and (5.7) are known as parametric regression models because the exact parametric form of the model is specified before the analysis begins. Although these models work well sometimes, there are potential drawbacks to their use. First, it is necessary to provide an *a priori* specification of the form of the regression model. Unfortunately, when complex patterns of behavior are present, it can be difficult to determine the appropriate form for a regression model. Second, the specified form for the regression is required to hold across the entire mapping from analysis inputs to analysis results, which makes the representation of local behavior and/or asymptotes difficult.

Nonparametric regression procedures provide an alternative to parametric regression procedures that can mitigate the potential problems indicated in the preceding paragraph. With nonparametric regression procedures, an *a priori* specification of the exact algebraic form of the regression model is not required. Rather, an iterative procedure is used to construct a model that captures the relationships that are present in the mapping between analysis inputs and a particular analysis result. This iterative construction procedure produces a model that can represent local patterns of behavior. Nonparametric regression is often referred to as smoothing. Popular nonparametric regression procedures include (i) locally weighted regression (LOESS), (ii) generalized additive models (GAMs), (iii) projection pursuit regression (PP\_REG), and (iv) multivariate adaptive regression splines (MARS). These procedures are briefly described below.

The LOESS technique<sup>150</sup> is based on the assumption that the relationship between  $y$  and  $\mathbf{x}$  is of the form

$$y = f(\mathbf{x}) = \alpha(\mathbf{x}) + \beta(\mathbf{x})\mathbf{x}, \quad (5.8)$$

where  $\beta(\mathbf{x}) = [\beta_1(\mathbf{x}), \beta_2(\mathbf{x}), \dots, \beta_r(\mathbf{x})]$  and  $\mathbf{x} = [x_1, x_2, \dots, x_r]^T$ . In turn, an approximate relationship of the form

$$\hat{y} = \hat{f}(\mathbf{x}) = \hat{\alpha}(\mathbf{x}) + \hat{\beta}(\mathbf{x})\mathbf{x} \quad (5.9)$$

is sought with LOESS. The quantities  $\hat{\alpha}(\mathbf{x})$  and  $\hat{\beta}(\mathbf{x})$  for a given value of  $\mathbf{x}$  are defined to be the values for  $\alpha$  and  $\beta = [\beta_1, \beta_2, \dots, \beta_r]$  that minimize the sum

$$\sum_{i=1}^{nS} (\alpha + \beta \mathbf{x}_i - y_i)^2 \left[ 1 - \left( \frac{\|\mathbf{x} - \mathbf{x}_i\|}{d_k(\mathbf{x})} \right)^3 \right]^3 I_{[0, d_k(\mathbf{x})]}(\|\mathbf{x} - \mathbf{x}_i\|), \quad (5.10)$$

where (i)  $d_k(\mathbf{x})$  is the distance to the  $k^{\text{th}}$  nearest neighbor of  $\mathbf{x}$  in  $r$ -dimensional Euclidean space, (ii)  $I_{[0, d_k(\mathbf{x})]}(\|\mathbf{x} - \mathbf{x}_i\|)$  equals 1 if  $\|\mathbf{x} - \mathbf{x}_i\| < d_k(\mathbf{x})$  and equals 0 otherwise, and (iii) the individual independent variables (i.e.,  $x_1, x_2, \dots, x_r$ ) are normalized to mean zero and standard deviation one so that the value for the norm  $\|\cdot\|$  is not dominated by the units used for these variables.

For GAMs,<sup>151</sup> the function  $f(\mathbf{x})$  is assumed to have the form

Table 4. Sensitivity Analysis Based on Stepwise Rank Regression for Mapping  $[\mathbf{x}_i, \mathbf{y}_i]$ ,  $y = 1, 2, \dots, nS = 200$ , in Eq. (5.5)

Var <sup>a</sup>	SRRC <sup>b</sup>	R <sup>2c</sup>	Var	SRRC	R <sup>2</sup>	Var	SRRC	R <sup>2</sup>
WL1T25: WL 1 Temp at 25 min			WL1T75: WL 1 Temp at 75 min			log(pF): Logarithm PLOAS		
c <sub>61</sub>	0.71	0.54	c <sub>61</sub>	0.64	0.46	c <sub>71</sub>	0.67	0.47
c <sub>1</sub>	0.49	0.78	c <sub>2</sub>	0.64	0.87	c <sub>2</sub>	0.38	0.62
c <sub>2</sub>	0.42	0.96	c <sub>1</sub>	0.30	0.96	c <sub>1</sub>	-0.29	0.70
SL1T25: SL 1 Temp at 25 min			SL1T75: SL 1 Temp at 75 min			c <sub>72</sub>	0.23	0.76
c <sub>2</sub>	0.70	0.52	c <sub>2</sub>	0.94	0.89	c <sub>8</sub>	0.20	0.80
c <sub>62</sub>	0.43	0.72	c <sub>1</sub>	0.30	0.97	c <sub>9</sub>	0.19	0.83
c <sub>71</sub>	0.33	0.83	c <sub>71</sub>	0.03	0.97	c <sub>10</sub>	-0.16	0.85
c <sub>1</sub>	0.33	0.93				c <sub>11</sub>	0.16	0.88
c <sub>31</sub>	0.05	0.94				c <sub>42</sub>	-0.14	0.90
						c <sub>32</sub>	-0.11	0.91
						c <sub>62</sub>	0.11	0.92
						c <sub>52</sub>	-0.10	0.93

<sup>a</sup> Variables listed in order of selection in stepwise process with variable required to have an  $\alpha$ -values of 0.02 and 0.05 to enter and be retained in the regression, respectively.

<sup>b</sup> Standardized rank regression coefficient (SRRC) for variable in final regression model.

<sup>c</sup> Cumulative  $R^2$  value with entry of each variable into the regression model.

$$f(\mathbf{x}) = \sum_{j=1}^r f_j(x_j), \quad (5.11)$$

where the  $f_j$  are arbitrary functions that will be determined as part of the analysis process. In turn, the observed values for  $y$  are assumed to be of the form

$$y_i = f(\mathbf{x}_i) = \sum_{j=1}^r f_j(x_{ij}). \quad (5.12)$$

Given initial estimates  $\hat{f}_2, \hat{f}_3, \dots, \hat{f}_r$  for  $f_2, f_3, \dots, f_r$ , an estimate  $\hat{f}_1$  for  $f_1$  can be obtained through use of the relationship

$$y_i - \sum_{j=2}^r \hat{f}_j(x_{ij}) \equiv \hat{f}_1(x_{i1}) \quad (5.13)$$

for  $i = 1, 2, \dots, nS$ . In particular, a scatterplot smoother (e.g., LOESS with only one independent variable) is used to smooth the partial residuals on the left hand side of Eq. (5.13) across  $x_{1i}$ . This produces an estimate  $\hat{f}_1$  for  $f_1$  defined across the range of values for  $x_1$ .

Given this estimate for  $f_1$ , the estimate  $\hat{f}_2$  for  $f_2$  can be refined in the same manner across the range of values for  $x_2$  with  $\hat{f}_1, \hat{f}_3, \hat{f}_4, \dots, \hat{f}_r$ . This procedure then continues and repetitively cycles through the variables. The cycling continues until convergence is achieved.

The PP\_REG procedure<sup>152</sup> involves both dimension reduction and additive modeling and is based on the assumption that  $f(\mathbf{x})$  has the form

$$f(\mathbf{x}) = \sum_{s=1}^{nD} g_s(\alpha_s \mathbf{x}), \quad (5.14)$$

where  $\alpha_s = [\alpha_{1s}, \alpha_{2s}, \dots, \alpha_{rs}]$ ,  $\mathbf{x} = [x_1, x_2, \dots, x_r]^T$ ,  $\alpha_s \mathbf{x}$  corresponds to a linear combination of the elements of  $\mathbf{x}$ , and  $g_s$  is an arbitrary function. Values for  $g_s, \alpha_s$  and  $nD$  are determined as part of the analysis procedure. The expression in Eq. (5.14) is an additive model with the quantities  $\alpha_s \mathbf{x}$  replacing the elements  $x_j$  of  $\mathbf{x}$  as the independent variables. Further, this expression involves a reduction in dimension as  $nD$  is usually smaller than  $r$ . The entities  $\hat{\alpha}_1, \hat{\alpha}_2, \dots, \hat{\alpha}_{nD}$  and  $\hat{g}_1, \hat{g}_2, \dots, \hat{g}_{nD}$  are estimated as part of the construction process. This is accomplished by first estimating  $\alpha_1$

and  $g_1$ . Specifically,  $\hat{\alpha}_1$  and  $\hat{g}_1$  are defined to be the values for  $\alpha$  and  $g_\alpha$  that minimize the sum

$$\sum_{i=1}^{nS} [y_i - g_\alpha(\alpha \mathbf{x}_i)]^2, \quad (5.15)$$

where  $\alpha \in R^r$ ,  $\|\alpha\| = 1$ , and  $g_\alpha$  is the outcome of using a scatterplot smoother (e.g., LOESS) on the points  $[y_i, \alpha \mathbf{x}_i]$ ,  $i = 1, 2, \dots, nS$ . Once  $\hat{\alpha}_1$  and  $\hat{g}_1$  are estimated, the partial residuals  $y_i - \hat{g}_1(\hat{\alpha}_1 \mathbf{x}_i)$ ,  $i = 1, 2, \dots, nS$ , are used to obtain  $\hat{\alpha}_2$  and  $\hat{g}_2$ . Specifically,  $\hat{\alpha}_2$  and  $\hat{g}_2$  are defined to be the values for  $\alpha$  and  $g_\alpha$  that minimize the sum

$$\sum_{i=1}^{nS} \left\{ [y_i - \hat{g}_1(\hat{\alpha}_1 \mathbf{x}_i)] - g_\alpha(\alpha \mathbf{x}_i) \right\}^2, \quad (5.16)$$

where  $\alpha \in R^r$ ,  $\|\alpha\| = 1$ , and  $g_\alpha$  is the outcome of using a scatterplot smoother on the points  $[y_i - \hat{g}_1(\hat{\alpha}_1 \mathbf{x}_i), \alpha \mathbf{x}_i]$ ,  $i = 1, 2, \dots, nS$ . This process continues until no appreciable improvement based on a relative error criterion is observed.

The MARS procedure<sup>153</sup> constructs an approximation to  $y$  of the form

$$\hat{y}(\mathbf{x}) = \beta_0 + \sum_{k=1}^M \beta_k h_k(\mathbf{x}), \quad (5.17)$$

where the  $h_k$  are basis functions for the space of possible  $\mathbf{x}$  values. The basis functions are selected from a large set of basis functions that span all values for  $\mathbf{x}$ . Initially, the MARS procedure sequentially adds an increasing number of basis functions to the model until a least squares goodness-of-fit criterion is satisfied, with the result that the model can be substantially overfitted. Then, basis functions are dropped from the model until a generalized cross validation criterion indicates that the model is no longer overfitting the data. The result is the model in Eq. (5.17). The MARS procedure is similar to recursive partitioning regression<sup>154</sup> in the sense that it partitions the input space into regions with each region having its own regression model.

The preceding procedures can all be carried out in a stepwise manner to determine variable importance, with (i) the most important variable  $\hat{x}_1$  being the variable that results in the single-variable model with the most predictive capability, (ii) the second most important variable  $\hat{x}_2$  being the variable that in conjunction with  $\hat{x}_1$  results in the two-variable model with the most

predictive capability, and so on until (iii) some stopping criterion is reached that indicates that the consideration of additional variables does not produce models with improved predictive capability. Order of selection in the stepwise construction process and fraction of variability explained (i.e., an  $R^2$  value) can be used to indicate variable importance. The  $F$ -statistic with appropriate degrees of freedom (see Sect. 3.9, Ref. [151], and Sect. 3.13, Ref. [155]) can be used to determine a stopping point in the stepwise variable selection procedure. Additional discussion of nonparametric regression is available in a number of texts.<sup>151, 154-158</sup>

If the number of elements in  $\mathbf{x}$  is not excessively large, then this construction can be carried out in a stepwise manner analogous to that shown in Table 4 for stepwise rank regression.<sup>132</sup> The most efficient procedure is to consider only the variables identified in Step 4 as being important. However, if computationally practicable, this construction can be carried out with sequential stepwise consideration of all components of  $\mathbf{x}$  as candidates for inclusion in the response surface under consideration. Then, as indicated in the description of Step 5 in Sect. 4, the sensitivity analysis in Step 4 and the response surface construction in Step 5 are in effect being carried out together, with variable importance indicated by order of selection in the stepwise response surface construction and the corresponding changes in incremental  $R^2$  values.

For illustration, summaries of stepwise response surface construction with several different methods are presented in Table 5 for  $\log(pF)$ . As the MARS procedure worked as well as or better than the other response surface procedures considered for constructing approximations to the elements of  $\mathbf{y}$ , the MARS procedure was selected for use in determining the response surface approximations to be employed in constructing evidence theory results in Step 6 (see Table 5 for  $\log(pF)$  and Table 6 for  $WL1T25$ ,  $WL1T75$ ,  $SL1T25$  and  $SL1T75$ ). The biggest differences in the response surface constructions for the different procedures occurred for  $\log(pF)$  (Table 5). The results with the procedures illustrated for  $\log(pF)$  in Table 5 are very similar for  $WL1T25$ ,  $WL1T75$ ,  $SL1T25$  and  $SL1T75$  as a result of the smooth and well-defined relationships between these variables and the elements of  $\mathbf{x}$ . However, such similarity should not always be expected to be the case.

The high  $R^2$  values for the final response surface constructions with the MARS procedure in Tables 5 and 6 are indicative of a high predictive capability.

Table 5. Summaries of Stepwise Construction of Response Surface Approximations of  $\log(pF)$  from Mapping in Eq. (5.5)

Var <sup>a</sup>	$R^{2b}$	df <sup>c</sup>	p-val <sup>d</sup>	PRESS <sup>e</sup>	Var	$R^2$	df	p-val	PRESS	Var	$R^2$	df	p-val	PRESS
LIN_REG					RS_REG					MARS				
$c_{71}$	0.4674	1.0	0.0000	1.24E2	$c_{71}$	0.4727	2.0	0.0000	1.24E2	$c_{71}$	0.4674	1.0	0.0000	1.24E2
$c_2$	0.6220	1.0	0.0000	8.93E1	$c_2$	0.6260	3.0	0.0000	9.15E1	$c_2$	0.6220	1.0	0.0000	9.44E1
$c_1$	0.7005	1.0	0.0000	7.16E1	$c_1$	0.7089	4.0	0.0000	7.43E1	$c_1$	0.7110	2.0	0.0000	7.19E1
$c_{72}$	0.7624	1.0	0.0000	5.74E1	$c_{72}$	0.7759	5.0	0.0000	6.08E1	$c_{72}$	0.7776	2.0	0.0000	5.93E1
$c_9$	0.8076	1.0	0.0000	4.68E1	$c_9$	0.8291	6.0	0.0000	4.90E1	$c_9$	0.8267	2.0	0.0000	5.08E1
$c_8$	0.8464	1.0	0.0000	3.79E1	$c_8$	0.8704	7.0	0.0000	4.14E1	$c_{42}$	0.8857	6.0	0.0000	4.87E1
$c_{11}$	0.8766	1.0	0.0000	3.07E1	$c_{42}$	0.9030	8.0	0.0000	3.60E1	$c_8$	0.8990	-1.0	0.0000	3.35E1
$c_{10}$	0.9011	1.0	0.0000	2.48E1	$c_{11}$	0.9340	9.0	0.0000	2.73E1	$c_{11}$	0.9393	6.0	0.0000	2.55E1
$c_{42}$	0.9234	1.0	0.0000	1.96E1	$c_{10}$	0.9610	10.0	0.0000	1.89E1	$c_{10}$	0.9597	1.0	0.0000	2.30E1
$c_{52}$	0.9359	1.0	0.0000	1.66E1	$c_{32}$	0.9737	11.0	0.0000	1.65E1	$c_{52}$	0.9755	8.0	0.0000	1.98E1
$c_{62}$	0.9463	1.0	0.0000	1.41E1	$c_{52}$	0.9869	12.0	0.0000	9.03E0	$c_{32}$	0.9891	11.0	0.0000	1.13E1
$c_{32}$	0.9565	1.0	0.0000	1.17E1	$c_{62}$	0.9970	13.0	0.0000	3.03E0	$c_{62}$	0.9971	9.0	0.0000	3.99E0
LOESS					GAM					$c_{31}$	0.9978	9.0	0.0000	4.36E0
$c_{71}$	0.4674	1.0	0.0000	1.24E2	$c_{71}$	0.4675	1.0	0.0000	1.24E2	PP_REG				
$c_2$	0.6681	12.3	0.0000	8.83E1	$c_2$	0.6349	4.0	0.0000	8.90E1	$c_{71}$	0.4696	1.3	0.0000	1.26E2
$c_{72}$	0.6853	-10.1	0.0000	7.53E1	$c_1$	0.7104	1.0	0.0000	7.13E1	$c_2$	0.6500	5.6	0.0000	8.67E1
$c_1$	0.7629	1.3	0.0000	5.76E1	$c_{72}$	0.7722	1.0	0.0000	5.67E1	$c_{72}$	0.7373	7.4	0.0000	8.57E1
$c_8$	0.8038	1.5	0.0000	4.86E1	$c_9$	0.8178	2.0	0.0000	4.60E1	$c_{42}$	0.8196	16.2	0.0000	7.57E1
					$c_8$	0.8579	2.0	0.0000	3.68E1	$c_9$	0.8890	19.3	0.0000	7.95E1
					$c_{11}$	0.8949	7.0	0.0000	2.92E1	$c_{10}$	0.9278	8.0	0.0000	6.14E1
					$c_{10}$	0.9177	2.0	0.0000	2.32E1					
					$c_{42}$	0.9416	2.0	0.0000	1.71E1					
					$c_{32}$	0.9498	1.0	0.0000	1.50E1					
					$c_{62}$	0.9591	2.0	0.0000	1.24E1					
					$c_{52}$	0.9678	2.0	0.0000	1.01E1					

<sup>a</sup> Variables listed in order of selection in stepwise process.

<sup>b</sup> Cumulative  $R^2$  value with entry of each variable into the model.

<sup>c</sup> Incremental degrees of freedom with entry of each variable into the model.

<sup>d</sup>  $p$ -value associated with entry of each variable into the model.

<sup>e</sup> Predicted error sum of squares (PRESS) value for model; a deviation from monotonically decreasing PRESS values indicates that the model may be overfitting the data.

As a further test, a “leave one out” analysis was carried out in which one observation at a time was dropped from the mapping in Eq. (5.5) and then MARS response surfaces were constructed from the remaining 199 observations and used to predict the elements of the dropped  $\mathbf{y}$  value. For each element  $y$  of  $\mathbf{y}$ , the result is a sequence

$$[y_i, \hat{y}_i], i = 1, 2, \dots, nS = 200, \quad (5.18)$$

where  $y_i$  is the original value in Eq. (5.5) and  $\hat{y}_i$  is the corresponding predicted value. As shown by the scatterplots for the observed and predicted values for

$WL1T75$  and  $\log(pF)$  in Fig. 4, the MARS procedure is predicting quite well, although there is some noise in the predictions for  $\log(pF)$ . Comparisons similar to the comparison for  $WL1T75$  were also obtained for  $WL1T25$ ,  $SL1T25$  and  $SL2T75$ .

## 5.6 Step 6: Approximate $\mathbf{y}$ for Large Random Sample

A random sample

$$\mathbf{x}_i = [x_{i1}, x_{i2}, \dots, x_{i,16}], i = 1, 2, \dots, nS, \quad (5.19)$$

Table 6. Summaries of Stepwise Construction of Response Surface Approximations to *WL1T25*, *WL5T75*, *SL1T25* and *SL1T75* from Mapping in Eq. (5.5) with the MARS Procedure

Var <sup>a</sup>	$R^2$ <sup>b</sup>	$df$ <sup>c</sup>	$p$ -val <sup>d</sup>	PRESS <sup>e</sup>	Var	$R^2$	$df$	$p$ -val	PRESS
<i>WL1T25</i> : WL 1 Temp at 25 min					<i>WL1T75</i> : WL 1 Temp at 75 min				
$c_{61}$	0.5946	4.0	0.0000	1.12E5	$c_{61}$	0.5550	5.0	0.0000	3.44E5
$c_1$	0.8283	2.0	0.0000	4.83E4	$c_2$	0.9176	0.0	0.0000	6.05E4
$c_2$	0.9998	-1.0	0.0000	5.44E1	$c_1$	1.0000	13.0	0.0000	2.60E0
$c_{41}$	0.9999	4.0	0.0000	2.66E1	<i>SL1T75</i> : SL 1 Temp at 75 min				
$c_{51}$	1.0000	8.0	0.0000	2.00E1	$c_2$	0.8947	2.0	0.0000	6.44E4
$c_{31}$	1.0000	9.0	0.0000	4.89E0	$c_1$	0.9969	0.0	0.0000	1.86E3
<i>SL1T25</i> : SL 1 Temp at 25 min					$c_{62}$	0.9987	3.0	0.0000	8.60E2
$c_2$	0.5699	2.0	0.0000	2.37E5	$c_{71}$	1.0000	11.0	0.0000	1.72E0
$c_{62}$	0.7700	2.0	0.0000	1.29E5					
$c_{71}$	0.8849	0.0	0.0000	6.27E4					
$c_1$	1.0000	17.0	0.0000	3.17E0					



<sup>a</sup> Variables listed in order of selection in stepwise process.

<sup>b</sup> Cumulative  $R^2$  value with entry of each variable into the model.

<sup>c</sup> Incremental degrees of freedom with entry of each variable into the model.

<sup>d</sup>  $p$ -value associated with entry of each variable into the model.

<sup>e</sup> Predicted error sum of squares (PRESS) value for model; a deviation from monotonically decreasing PRESS values indicates that the model may be overfitting the data.



TR05-JR004-0.doc

Fig. 4. Comparison of observed values (i.e.,  $y$  as indicated in Eq. (5.18)) and MARS response surface predicted values (i.e.,  $\hat{y}$  as indicated in Eq. (5.18)): (a) *WL1T75*, and (b)  $\log(pF)$ .

of size  $nS = 10^6$  was generated from the possible values for  $\mathbf{x}$  in consistency with the distributions defined by the density functions in Eq. (5.3). The corresponding value  $\hat{\mathbf{y}}_i$  for  $\mathbf{y}_i$  was then estimated for each element of this sample with the MARS approximations to  $WLIT25$ ,  $WLIT75$ ,  $SLIT25$ ,  $SLIT75$  and  $\log(pF)$  indicated in Tables 5 and 6. This created the mapping

$$[\mathbf{x}_i, \hat{\mathbf{y}}_i], i = 1, 2, \dots, nS = 10^6, \quad (5.20)$$

for use in estimating evidence theory results for the elements of  $\mathbf{y}$ .

## 5.7 Step 7: Approximate Evidence Space Results

The approximation of evidence space results is illustrated for  $WLIT25$ ,  $WLIT75$ ,  $SLIT25$ ,  $SLIT75$  and  $\log(pF)$  for the construction of CCBFs, CCDFs and CCPFs as indicated in Eqs. (2.40), (2.12) and (2.42).

The construction of CBFs, CDFs and CPFs is similar (see Eqs. (2.39), (2.11) and (2.41)). For comparison, results are obtained with both the MARS response surfaces for  $WLIT75$  and  $\log(pF)$  and the actual values for  $WLIT75$  and  $\log(pF)$ . Such a comparison would not be possible in a real analysis with computationally demanding models but is possible here because the example model/analysis is inexpensive to evaluate.

The results for  $WLIT75$  are shown in Fig. 5, with the results obtained from the response surface approximation shown in the left frame and the results obtained from the actual model predictions shown in the right frame. The outermost CCBFs and CCPFs in the two frames were obtained with the most important variable (i.e.,  $c_{61}$ ; see Table 6) assigned its original evidence space and the remaining variables assigned degenerate evidence spaces. Thus, these CCBFs and CCPFs were constructed from an evidence space for  $\mathbf{x}$  with 13 focal elements (see Table 3). Then, the next inner CCBFs and CCPFs were obtained with  $c_{61}$  and the next most important variable (i.e.,  $c_2$ ; see Table 6) assigned their original evidence spaces and the remaining variables assigned degenerate evidence spaces, with the result that the CCBFs and CCPFs are now being constructed from an evidence space with  $13^2 = 169$  focal elements. The process continues similarly with the addition of  $c_1$  in the next iteration and the corresponding consideration of an evidence space with  $13^3 = 2197$  focal elements. The process stops at this point as  $c_{61}$ ,  $c_2$  and  $c_1$  are the only variables identified as affecting  $WLIT75$ .

The CCDFs that result from the distribution defined by the density functions in Eq. (5.3) are also shown in Fig. 5, with these CCDFs appearing between the CCBFs and the CCPFs as should be the case. As comparison of the left and right frames in Fig. 5 shows, the CCBFs and CCPFs obtained from the MARS response surface approximation are effectively the same as those obtained from the actual model predictions.

The evidence space results for  $WLIT25$ ,  $SLIT25$  and  $SLIT75$  are similar to those for  $WLIT75$  (Fig. 6). The results for  $WLIT25$  and  $SLIT75$  illustrate the negligible changes in CCBFs and CCPFs that take place when variables that have little effect on the result of interest are included in the construction process. As indicated in Table 6,  $c_{41}$  has little effect on  $WLIT25$  and  $c_{62}$  has little effect on  $SLIT75$ . As a result, their inclusion in the CCBFs and CCPFs for  $WLIT25$  and  $SLIT75$ , respectively, has little impact on the estimates for these outcomes.

The results for  $\log(pF)$  are shown in Fig. 7, with the results obtained from the MARS response surface approximation shown in the left frames and the results obtained from the actual model predictions shown in the right frames. The construction procedure is the same as previously illustrated in Fig. 5 for  $WLIT75$ . The  $pF$  axis is terminated at  $10^{-9}$  for two reasons. First, the original Latin hypercube sample used in response surface construction only resulted in values for  $pF$  down to  $10^{-9.6}$ ; thus, values for  $pF$  much less than  $10^{-9}$  will involve results based on extrapolation rather than interpolation. Second, it is difficult to give much credence to probabilities less than  $10^{-9}$  other than to acknowledge that they are “small.” Because of the small values associated with the CCBFs, results are shown with both a linear scale (upper two frames) and a log scale (lower two frames) on the ordinate (i.e., the belief, probability and plausibility axis).

The constructions of the CCBFs and CCPFs in Fig. 7 sequentially involves 1, 2, 3, 4 and 5 variables (i.e.,  $c_{71}$ ,  $c_2$ ,  $c_1$ ,  $c_{72}$  and  $c_9$  in sequence; see Table 5). The corresponding evidence spaces have  $13^k$ ,  $k = 1, 2, 3, 4, 5$ , focal elements, with  $13^5 = 371,293$  focal elements in the evidence space for  $\mathbf{x}$  when all five variables have their original evidence spaces and degenerate evidence spaces are assigned to the remaining variables. As indicated by the separation of the CCBFs and CCPFs obtained for 4 and 5 variables, the CCBFs and CCPFs in Fig. 7 are probably not fully converged to their true values. This lack of convergence is consistent with the MARS response surface for  $\log(pF)$  with the indicated




Fig. 5. Stepwise construction of CCBFs and CCPFs for *WL1T75* with  $c_{61}$ ,  $c_2$  and  $c_1$ : (a) Construction with MARS response surface approximation to *WL1T75* (left frame), and (b) Construction with predicted values for *WL1T75* (right frame).

5 variables having an  $R^2$  value of 0.83 (Table 5). Thus, approximately 17% of the uncertainty in  $\log(pF)$  is not captured by the response surface approximation in use.

One possibility is to continue the sequential construction of CCBFs and CCPFs by adding a sixth variable (i.e.,  $c_{42}$ , which would increase the  $R^2$  value for the MARS response surface to 0.89; see Table 5). This would bring a inward shift of the CCBFs and CCPFs but at the computational cost associated with increasing the number of focal elements in the evidence space for  $\mathbf{x}$  from  $13^5$  to  $13^6 = 4,826,809$ . At this point, the sample of size  $nS = 10^6$  in Eq. (5.19) may not be sufficiently large to assure adequate coverage of this many focal elements. In particular, there must be enough observations from each focal element to provide an approximate estimate of the minimum and maximum of the variable under consideration (i.e.,  $\log(pF)$  in this case) on each focal element. However, it is important to recognize that the sample size does not necessarily have to be substantially larger than the number of focal elements when there is significant overlap of the focal elements.

Several possibilities exist at this point. One is to conclude that an adequate bound on the location of the true CCBF and CCPF has been determined and that the analysis can be terminated. In particular, the construction process is “outside in” in the sense that the true CCBF and CCPF that results from a full consideration of the evidence spaces for all elements of  $\mathbf{x}$  will always

lie inside the constructed CCBFs and CCPFs (see Sect. 7, Ref. [133]). The preceding statement is conditional on two assumptions: (i) that the response surface in use is a “good” approximation to the result under consideration, and (ii) that a sufficiently large sample has been used to obtain converged estimates for the CCBF and CCPF for the reduced evidence space.

Another possibility is to pay the computational cost and keep adding variables until convergence is achieved. This could result in having to increase the size of the sample in Eq. (5.19). For  $\log(pF)$ , this could mean considering a total of 9 variables, which would bring the  $R^2$  value for the MARS response surface approximation up to 0.96 (i.e., with inclusion of  $c_{71}$ ,  $c_2$ ,  $c_1$ ,  $c_{72}$ ,  $c_9$ ,  $c_{42}$ ,  $c_8$ ,  $c_{11}$ ,  $c_{10}$ ; see Table 5). However, at the end of the analysis, this entails considering an evidence space for  $\mathbf{x}$  that involves  $13^9$  focal elements.

Yet another possibility is to simplify the analysis by reducing the complexity of the evidence spaces associated with the elements of  $\mathbf{x}$ . In particular, approximations to the original evidence spaces can be defined that involve fewer focal elements but still capture the general nature of the original uncertainty characterization. This can be done on the basis of focal elements defined by horizontal lines drawn between the CPF and CBF for a variable (Fig. 8). In particular, the horizontal lines in Fig. 8 can be viewed as defining focal elements that correspond to the intervals  $[0.0, 0.4]$ ,  $[0.0, 0.6]$ ,  $[0.2, 0.8]$ ,  $[0.4, 1.0]$  and  $[0.6, 1.0]$  and





Fig. 6. Stepwise construction of CCBFs and CCPFs with MARS response surface approximations for *WL1T25*, *SL1T25* and *SL1T75*: (a) *WL1T25* with  $c_{61}$ ,  $c_1$ ,  $c_2$  and  $c_{41}$ , (b) *SL1T25* with  $c_2$ ,  $c_{62}$ ,  $c_{71}$  and  $c_1$ , and (c) *SL1T75* with  $c_2$ ,  $c_1$  and  $c_{62}$ .

have BPAs of 0.2. The result is a new and simpler evidence space for the variable that now has 5 rather than 13 focal elements. In general, the appropriate simplification would depend on the structure of the original evidence space, the amount of desired or necessary simplification, and the importance of the variable. In particular, it might be desirable to impose less simplification on the more important variables and more simplification on the less important variables.

As an example, the analysis for  $\log(pF)$  was carried out with the evidence spaces for the individual components of  $\mathbf{x}$  redefined to have 5 focal elements as indicated in conjunction with Fig. 8. This resulted in the need to consider sequential evidence spaces for  $\mathbf{x}$

with fewer focal elements than used in the construction of the CCBFs and CCPFs in Fig. 7 and, as a result, allowed the incorporation of the effects of more components of  $\mathbf{x}$  into the final CCBF and CCPF for  $\log(pF)$ . Although the uncertainty in the individual components of  $\mathbf{x}$  has increased because of the reduction of the number of focal elements from 13 to 5, the estimated uncertainty in  $\log(pF)$  has actually decreased because of the use of more components of  $\mathbf{x}$  in the construction of the final CCBF and CCPF (i.e., compare final CCBFs and CCPFs in Figs. 7 and 9). Thus, although conservative due to the reduction in the number of focal elements, the final CCBF and CCPF in Fig. 9 provides a better representation of the uncertainty in  $\log(pF)$  than the final CCBF and CCPF in Fig. 7.





TR05-JR007-0.doc

Fig. 7. Stepwise construction of CCBFs and CCPFs for  $pF$  with  $c_{71}, c_2, c_1, c_{72}$  and  $c_9$  (a, c) Construction with MARS response surface approximation to  $\log(pF)$  (left frames), and (b, d) Construction with predicted values for  $\log(pF)$  (right frames).





Fig. 8. Simplification of an evidence space with each horizontal line corresponding to a focal element with a BPA of 0.2 in a new evidence space.

The results in Fig. 9 produced a surprise in that the effect of  $c_{42}$  on the location of the CCPF is greater than its incremental  $R^2$  value of 0.06 in the MARS response surface construction would suggest (Table 5). Thus, there is not always an exact correspondence between incremental  $R^2$  values and shifts in the locations of CCPFs. For perspective, Fig. 10 shows the results of a sequential construction of CCBFs and CCPFs in which  $c_{42}$  is the second rather than the sixth variable included the construction process. With this change in the order of variable consideration, the CCPFs now show a pattern of decreasing separation as more variables are incorporated into the CCPFs.

The sequential construction of CCBFs and CCPFs can be viewed a form of sensitivity analysis within the context of an evidence theory representation of uncertainty. Specifically, variable importance is indicated by the extent that the CCBFs and CCPFs change when a variable is entered into the construction process with its full evidence theory representation.



TR05-JR009-0.doc

Fig. 9. Stepwise construction of CCBFs and CCPFs for  $pF$  with the evidence spaces for the individual components of  $\mathbf{x}$  redefined to have 5 focal elements as indicated in conjunction with Fig. 8 and sequential inclusion of  $c_{71}$ ,  $c_2$ ,  $c_{11}$ ,  $c_{72}$ ,  $c_9$ ,  $c_{42}$ ,  $c_8$  and  $c_{11}$ : (a) Construction with MARS response surface approximation to  $\log(pF)$  (left frames), and (b, d) Construction with predicated values for  $\log(pF)$  (right frames).




Fig. 10. Stepwise construction of CCBFs and CCPFs for  $pF$  with the evidence spaces for the individual components of  $\mathbf{x}$  redefined to have 5 focal elements as indicated in conjunction with Fig. 8 and sequential inclusion of  $c_{71}$ ,  $c_{42}$ ,  $c_2$ ,  $c_{11}$ ,  $c_{72}$ ,  $c_9$ ,  $c_8$  and  $c_{11}$ : (a) Construction with MARS response surface approximation to  $\log(pF)$  (left frames), and (b, d) Construction with predicated values for  $\log(pF)$  (right frames).

## 6. Discussion

Evidence theory is a promising alternative to probability theory for the representation of epistemic uncertainty when limited information is available. With evidence theory, a less structured representation of uncertainty is possible than is the case with probability theory.

Evidence theory representations of uncertainty can be interpreted in two different ways. With one interpretation, an evidence theory representation of uncertainty can be viewed as the specification of an incompletely defined probability space. With this interpretation, the belief associated with a set is the smallest probability that must be assigned to that set to complete the definition of the probability space, and the plausibility associated with a set is the largest probability that could be assigned to that set in a completion of the definition of the probability space. With the other interpretation, evidence theory provides a structure for reasoning under uncertainty. With this interpretation, the belief associated with a set is a measure of the amount of information that supports the truth of an assertion corresponding to the set, and the plausibility

associated with a set is a measure of the lack of information that contradicts an assertion corresponding to the set.

Regardless of the interpretation, the mathematics of an evidence theory representation of uncertainty is the same. A particular challenge in this mathematics is the propagation of an evidence theory structure through a function which is computationally expensive to evaluate.

This presentation has described a sampling-based computational procedure for the propagation of an evidence theory representation of uncertainty through a computationally expensive function (i.e., a numerically demanding computer program). At the core of this procedure is the use of Latin hypercube sampling and nonparametric regression models to develop response surface approximations to analysis results of interest. This procedure provides a means to propagate an evidence theory representation of uncertainty through a function where more naïve sampling-based approaches will fail due to the high cardinality of the evidence space. Further, the stepwise nature of the propagation process provides sensitivity analysis results that can be interpreted in the context of evidence theory.

This page intentionally left blank.

## 7. References

1. Christie, M.A., J. Glimm, J.W. Grove, D.M. Higdon, D.H. Sharp, and M.M. Wood-Schultz. 2005. "Error Analysis and Simulations of Complex Phenomena," *Los Alamos Science*. Vol. 29, pp. 6-25.
2. Babuska, I. and J.T. Oden. 2004. "Verification and Validation in Computational Engineering and Science: Basic Concepts," *Computer Methods in Applied Mechanics and Engineering*. Vol. 193, no. 36-38, pp. 4057-4066.
3. Nikolaidis, E., D.M. Ghiocel, and S. Singhal (eds). 2004. *Engineering Design Reliability Handbook*. Boca Raton, FL: CRC Press.
4. Sharp, D.H. and M.M. Wood-Schultz. 2003. "QMU and Nuclear Weapons Certification: What's Under the Hood?," *Los Alamos Science*. Vol. 28, pp. 47-53.
5. Wagner, R.L. 2003. "Science, Uncertainty and Risk: The Problem of Complex Phenomena," *APS News*. Vol. 12, no. 1, pp. 8.
6. Oberkampf, W.L., S.M. DeLand, B.M. Rutherford, K.V. Diegert, and K.F. Alvin. 2002. "Error and Uncertainty in Modeling and Simulation," *Reliability Engineering and System Safety*. Vol. 75, no. 3, pp. 333-357.
7. Roache, P.J. 1998. *Verification and Validation in Computational Science and Engineering*. Albuquerque, NM: Hermosa Publishers.
8. Ayyub, B.M., (ed.). 1997. *Uncertainty Modeling and Analysis in Civil Engineering*. Boca Raton, FL: CRC Press.
9. Risk Assessment Forum. 1997. *Guiding Principles for Monte Carlo Analysis*, EPA/630/R-97/001. Washington DC: U.S. Environmental Protection Agency. (Available from the NTIS as PB97-188106/XAB.).
10. NCRP (National Council on Radiation Protection and Measurements). 1996. *A Guide for Uncertainty Analysis in Dose and Risk Assessments Related to Environmental Contamination*, NCRP Commentary No. 14. Bethesda, MD: National Council on Radiation Protection and Measurements.
11. Helton, J.C. and D.E. Burmaster. 1996. "Guest Editorial: Treatment of Aleatory and Epistemic Uncertainty in Performance Assessments for Complex Systems," *Reliability Engineering and System Safety*. Vol. 54, no. 2-3, pp. 91-94.
12. Helton, J.C. 1997. "Uncertainty and Sensitivity Analysis in the Presence of Stochastic and Subjective Uncertainty," *Journal of Statistical Computation and Simulation*. Vol. 57, no. 1-4, pp. 3-76.
13. Paté-Cornell, M.E. 1996. "Uncertainties in Risk Analysis: Six Levels of Treatment," *Reliability Engineering and System Safety*. Vol. 54, no. 2-3, pp. 95-111.
14. Winkler, R.L. 1996. "Uncertainty in Probabilistic Risk Assessment," *Reliability Engineering and System Safety*. Vol. 54, no. 2-3, pp. 127-132.
15. Hoffman, F.O. and J.S. Hammonds. 1994. "Propagation of Uncertainty in Risk Assessments: The Need to Distinguish Between Uncertainty Due to Lack of Knowledge and Uncertainty Due to Variability," *Risk Analysis*. Vol. 14, no. 5, pp. 707-712.
16. Helton, J.C. 1994. "Treatment of Uncertainty in Performance Assessments for Complex Systems," *Risk Analysis*. Vol. 14, no. 4, pp. 483-511.
17. Apostolakis, G. 1990. "The Concept of Probability in Safety Assessments of Technological Systems," *Science*. Vol. 250, no. 4986, pp. 1359-1364.
18. Haan, C.T. 1989. "Parametric Uncertainty in Hydrologic Modeling," *Transactions of the ASAE*. Vol. 32, no. 1, pp. 137-146.
19. Parry, G.W. and P.W. Winter. 1981. "Characterization and Evaluation of Uncertainty in Probabilistic Risk Analysis," *Nuclear Safety*. Vol. 22, no. 1, pp. 28-42.
20. Kaplan, S. and B.J. Garrick. 1981. "On the Quantitative Definition of Risk," *Risk Analysis*. Vol. 1, no. 1, pp. 11-27.

21. Breeding, R.J., J.C. Helton, E.D. Gorham, and F.T. Harper. 1992. "Summary Description of the Methods Used in the Probabilistic Risk Assessments for NUREG-1150," *Nuclear Engineering and Design*. Vol. 135, no. 1, pp. 1-27.
22. Breeding, R.J., J.C. Helton, W.B. Murfin, L.N. Smith, J.D. Johnson, H.-N. Jow, and A.W. Shiver. 1992. "The NUREG-1150 Probabilistic Risk Assessment for the Surry Nuclear Power Station," *Nuclear Engineering and Design*. Vol. 135, no. 1, pp. 29-59.
23. Payne, A.C., Jr., R.J. Breeding, J.C. Helton, L.N. Smith, J.D. Johnson, H.-N. Jow, and A.W. Shiver. 1992. "The NUREG-1150 Probabilistic Risk Assessment for the Peach Bottom Atomic Power Station," *Nuclear Engineering and Design*. Vol. 135, no. 1, pp. 61-94.
24. Gregory, J.J., R.J. Breeding, J.C. Helton, W.B. Murfin, S.J. Higgins, and A.W. Shiver. 1992. "The NUREG-1150 Probabilistic Risk Assessment for the Sequoyah Nuclear Plant," *Nuclear Engineering and Design*. Vol. 135, no. 1, pp. 92-115.
25. Brown, T.D., R.J. Breeding, J.C. Helton, H.-N. Jow, S.J. Higgins, and A.W. Shiver. 1992. "The NUREG-1150 Probabilistic Risk Assessment for the Grand Gulf Nuclear Station," *Nuclear Engineering and Design*. Vol. 135, no. 1, pp. 117-137.
26. Helton, J.C. and R.J. Breeding. 1993. "Calculation of Reactor Accident Safety Goals," *Reliability Engineering and System Safety*. Vol. 39, no. 2, pp. 129-158.
27. Fine, T.L. 1973. *Theories of Probability: An Examination of Foundations*, New York: Academic Press.
28. Hacking, I. 1975. *The Emergence of Probability: A Philosophical Study of Early Ideas About Probability, Induction and Statistical Inference*. London; New York: Cambridge University Press.
29. Weatherford, R. 1982. *Philosophical Foundations of Probability Theory*, London, Boston: Routledge & Kegan Paul.
30. Stigler, S.M. 1986. *The History of Statistics: The Measurement of Uncertainty Before 1900*, Cambridge, Massachusetts: Harvard University Press.
31. Howson, C. and P. Urbach. 1993. *Scientific Reasoning: The Bayesian Approach*. 2nd ed. Chicago: Open Court.
32. Hacking, I. 2001. *An Introduction to Probability and Inductive Logic*, Cambridge, New York: Cambridge University Press.
33. Shafer, G. 1976. *A Mathematical Theory of Evidence*, Princeton, NJ: Princeton Univ. Press.
34. Wasserman, L. 1988. *Belief Functions and Likelihood*, Technical Report 420, Pittsburgh, PA: Department of Statistics, Carnegie-Mellon University.
35. Wasserman, L.A. 1990. "Belief Functions and Statistical Inference," *The Canadian Journal of Statistics*. Vol. 18, no. 3, pp. 183-196.
36. Guan, J.W. and D.A. Bell. 1991. *Evidence Theory and Its Applications*, Vols. 1, 2. New York: North-Holland.
37. Halpern, J.Y. and R. Fagin. 1992. "Two Views of Belief: Belief as Generalized Probability and Belief as Evidence," *Artificial Intelligence*. Vol. 54, pp. 275-317.
38. Yager, R.R., J. Kacprzyk, and M. Fedrizzi (eds). 1994. *Advances in the Dempster-Shafer Theory of Evidence*. New York, NY: Wiley.
39. Helton, J.C., J.D. Johnson, and W.L. Oberkampf. 2004. "An Exploration of Alternative Approaches to the Representation of Uncertainty in Model Predictions," *Reliability Engineering and System Safety*. Vol. 85, no. 1-3, pp. 39-71.
40. Helton, J.C. and M.G. Marietta. 2000. "Special Issue: The 1996 Performance Assessment for the Waste Isolation Pilot Plant," *Reliability Engineering and System Safety*. Vol. 69, no. 1-3, pp. 1-451.
41. CRWMS M&O (Civilian Radioactive Waste Management System Management and Operating Contractor). 2000. *Total System Performance Assessment (TSPA) Model for Site Recom-*



- mendation, MDL-WIS-PA-000002 REV 00. Las Vegas, NV: CRWMS M&O.
42. CRWMS M&O (Civilian Radioactive Waste Management System Management and Operating Contractor). 2000. *Total System Performance Assessment for the Site Recommendation*, TDR-WIS-PA-000001 REV 00. Las Vegas, NV: CRWMS M&O.
43. Garthwaite, P.H., J.B. Kadane, and A. O'Hagan. 2005. "Statistical Methods for Eliciting Probability Distributions," *Journal of the American Statistical Association*. Vol. 100, no. 470, pp. 680-700.
44. Cooke, R.M. and L.H.J. Goossens. 2004. "Expert Judgement Elicitation for Risk Assessment of Critical Infrastructures," *Journal of Risk Research*. Vol. 7, no. 6, pp. 643-656.
45. Ayyub, B.M. 2001. *Elicitation of Expert Opinions for Uncertainty and Risks*, Boca Raton, FL: CRC Press.
46. McKay, M. and M. Meyer. 2000. "Critique of and Limitations on the use of Expert Judgements in Accident Consequence Uncertainty Analysis," *Radiation Protection Dosimetry*. Vol. 90, no. 3, pp. 325-330.
47. Budnitz, R.J., G. Apostolakis, D.M. Boore, L.S. Cluff, K.J. Coppersmith, C.A. Cornell, and P.A. Morris. 1998. "Use of Technical Expert Panels: Applications to Probabilistic Seismic Hazard Analysis," *Risk Analysis*. Vol. 18, no. 4, pp. 463-469.
48. Evans, J.S., G.M. Gray, R.L. Sielken Jr., A.E. Smith, C. Valdez-Flores, and J.D. Graham. 1994. "Use of Probabilistic Expert Judgement in Uncertainty Analysis of Carcinogenic Potency," *Regulatory Toxicology and Pharmacology*. Vol. 20, no. 1, pt. 1, pp. 15-36.
49. Chhibber, S., G. Apostolakis, and D. Okrent. 1992. "A Taxonomy of Issues Related to the Use of Expert Judgments in Probabilistic Safety Studies," *Reliability Engineering and System Safety*. Vol. 38, no. 1-2, pp. 27-45.
50. Thorne, M.C. and M.M.R. Williams. 1992. "A Review of Expert Judgement Techniques with Reference to Nuclear Safety," *Progress in Nuclear Safety*. Vol. 27, no. 2-3, pp. 83-254.
51. Cooke, R.M. 1991. *Experts in Uncertainty: Opinion and Subjective Probability in Science*. Oxford; New York: Oxford University Press.
52. Keeney, R.L. and D.V. Winterfeldt. 1991. "Eliciting Probabilities from Experts in Complex Technical Problems," *IEEE Transactions on Engineering Management*. Vol. 38, no. 3, pp. 191-201.
53. Meyer, M.A. and J.M. Booker. 1991. *Eliciting and Analyzing Expert Judgment: A Practical Guide*. New York, NY: Academic Press.
54. Hora, S.C. and R.L. Iman. 1989. "Expert Opinion in Risk Analysis: The NUREG-1150 Methodology," *Nuclear Science and Engineering*. Vol. 102, no. 4, pp. 323-331.
55. Feller, W. 1971. *An Introduction to Probability Theory and Its Applications*. Vol. 2, 2nd ed. New York: John Wiley & Sons.
56. McKay, M.D., R.J. Beckman, and W.J. Conover. 1979. "A Comparison of Three Methods for Selecting Values of Input Variables in the Analysis of Output from a Computer Code," *Technometrics*. Vol. 21, no. 2, pp. 239-245.
57. Iman, R.L. and W.J. Conover. 1980. "Small Sample Sensitivity Analysis Techniques for Computer Models, with an Application to Risk Assessment," *Communications in Statistics: Theory and Methods*. Vol. A9, no. 17, pp. 1749-1842.
58. Iman, R.L. 1992. "Uncertainty and Sensitivity Analysis for Computer Modeling Applications," *Reliability Technology - 1992, The Winter Annual Meeting of the American Society of Mechanical Engineers, Anaheim, California, November 8-13, 1992*. Eds. T.A. Cruse. Vol. 28, pp. 153-168. New York, NY: American Society of Mechanical Engineers, Aerospace Division.
59. Helton, J.C. and F.J. Davis. 2003. "Latin Hypercube Sampling and the Propagation of Uncertainty in Analyses of Complex Systems," *Reliability Engineering and System Safety*. Vol. 81, no. 1, pp. 23-69.

60. Evans, M. and T. Swartz. 2000. *Approximating Integrals via Monte Carlo and Deterministic Methods*. Oxford, New York: Oxford University Press.
61. Hurtado, J.E. and A.H. Barbat. 1998. "Monte Carlo Techniques in Computational Stochastic Mechanics," *Archives of Computational Methods in Engineering*. Vol. 5, no. 1, pp. 3-330.
62. Nicola, V.F., P. Shahabuddin, and M.K. Nakayama. 2001. "Techniques for Fast Simulation of Models of Highly Dependable Systems," *IEEE Transactions on Reliability*. Vol. 50, no. 3, pp. 246-264.
63. Owen, A. and Y. Zhou. 2000. "Safe and Effective Importance Sampling," *Journal of American Statistical Association*. Vol. 95, no. 449, pp. 135-143.
64. Heidelberger, P. 1995. "Fast Simulation of Rare Events in Queueing and Reliability Models," *ACM Transactions on Modeling and Computer Simulation*. Vol. 5, no. 1, pp. 43-85.
65. Shahabuddin, P. 1994. "Importance Sampling for the Simulation of Highly Reliable Markovian Systems," *Management Science*. Vol. 40, no. 3, pp. 333-352.
66. Goyal, A., P. Shahabuddin, P. Heidelberger, V.F. Nicola, and P.W. Glynn. 1992. "A Unified Framework for Simulating Markovian Models of Highly Dependable Systems," *IEEE Transactions on Computers*. Vol. 41, no. 1, pp. 36-51.
67. Melchers, R.E. 1990. "Search-Based Importance Sampling," *Structural Safety*. Vol. 9, no. 2, pp. 117-128.
68. Glynn, P.W. and D.L. Iglehart. 1989. "Importance Sampling for Stochastic Simulations," *Management Science*. Vol. 35, no. 11, pp. 1367-1392.
69. Helton, J.C., J.D. Johnson, C.J. Sallaberry, and C.B. Storlie. 2006. "Survey of Sampling-Based Methods for Uncertainty and Sensitivity Analysis," *Reliability Engineering and System Safety*. Vol. 91, no. 10-11, pp. 1175-1209.
70. Blower, S.M., H.B. Gershengorn, and R.M. Grant. 2000. "A Tale of Two Futures: HIV and Antiretroviral Therapy in San Francisco," *Science*. Vol. 287, no. 5453, pp. 650-654.
71. Cohen, C., M. Artois, and D. Pontier. 2000. "A Discrete-Event Computer Model of Feline Herpes Virus Within Cat Populations," *Preventative Veterinary Medicine*. Vol. 45, no. 3-4, pp. 163-181.
72. Hofer, E. 1999. "Sensitivity Analysis in the Context of Uncertainty Analysis for Computationally Intensive Models," *Computer Physics Communications*. Vol. 117, no. 1-2, pp. 21-34.
73. Caswell, H., S. Brault, A.J. Read, and T.D. Smith. 1998. "Harbor Porpoise and Fisheries: An Uncertainty Analysis of Incidental Mortality," *Ecological Applications*. Vol. 8, no. 4, pp. 1226-1238.
74. Sanchez, M.A. and S.M. Blower. 1997. "Uncertainty and Sensitivity Analysis of the Basic Reproductive Rate: Tuberculosis as an Example," *American Journal of Epidemiology*. Vol. 145, no. 12, pp. 1127-1137.
75. Chan, M.S. 1996. "The Consequences of Uncertainty for the Prediction of the Effects of Schistosomiasis Control Programmes," *Epidemiology and Infection*. Vol. 117, no. 3, pp. 537-550.
76. Gwo, J.P., L.E. Toran, M.D. Morris, and G.V. Wilson. 1996. "Subsurface Stormflow Modeling with Sensitivity Analysis Using a Latin-Hypercube Sampling Technique," *Ground Water*. Vol. 34, no. 5, pp. 811-818.
77. Helton, J.C., D.R. Anderson, B.L. Baker, J.E. Bean, J.W. Berglund, W. Beyeler, K. Economy, J.W. Garner, S.C. Hora, H.J. Iuzzolino, P. Knupp, M.G. Marietta, J. Rath, R.P. Rechar, P.J. Roache, D.K. Rudeen, K. Salari, J.D. Schreiber, P.N. Swift, M.S. Tierney, and P. Vaughn. 1996. "Uncertainty and Sensitivity Analysis Results Obtained in the 1992 Performance Assessment for the Waste Isolation Pilot Plant," *Reliability Engineering and System Safety*. Vol. 51, no. 1, pp. 53-100.
78. Kolev, N.I. and E. Hofer. 1996. "Uncertainty and Sensitivity Analysis of a Postexperiment Simulation of Nonexplosive Melt-Water Interaction," *Experimental Thermal and Fluid Science*. Vol. 13, no. 2, pp. 98-116.

79. Whiting, W.B., T.-M. Tong, and M.E. Reed. 1993. "Effect of Uncertainties in Thermodynamic Data and Model Parameters on Calculated Process Performance," *Industrial and Engineering Chemistry Research*. Vol. 32, no. 7, pp. 1367-1371.
80. Ma, J.Z., E. Ackerman, and J.-J. Yang. 1993. "Parameter Sensitivity of a Model of Viral Epidemics Simulated with Monte Carlo Techniques. I. Illness Attack Rates," *International Journal of Biomedical Computing*. Vol. 32, no. 3-4, pp. 237-253.
81. Ma, J.Z. and E. Ackerman. 1993. "Parameter Sensitivity of a Model of Viral Epidemics Simulated with Monte Carlo Techniques. II. Durations and Peaks," *International Journal of Biomedical Computing*. Vol. 32, no. 3-4, pp. 255-268.
82. Breshears, D.D., T.B. Kirchner, and F.W. Whicker. 1992. "Contaminant Transport Through Agroecosystems: Assessing Relative Importance of Environmental, Physiological, and Management Factors," *Ecological Applications*. Vol. 2, no. 3, pp. 285-297.
83. Moore, R.E. 1966. *Interval Analysis*, Englewood Cliffs, NJ: Prentice Hall.
84. Moore, R.E. 1979. *Methods and Applications of Interval Analysis*, Philadelphia, PA: SIAM.
85. Neumaier, A. 1990. *Interval Methods for Systems of Equations*. Cambridge: Cambridge University Press.
86. Hammer, R., M. Hocks, U. Kulisch, and D. Ratz. 1993. *Numerical Toolbox for Verified Computing. I. Basic Numerical Problems*, New York, NY: Springer Verlag.
87. Kearfott, R.B. and V. Kreinovich. 1996. *Applications of Interval Computations*, Boston, MA: Kluwer Academic Publishers.
88. Jaulin, L., M. Kieffer, O. Didrit, and E. Walter. 2001. *Applied Interval Analysis*. New York, NY: Springer-Verlag.
89. Zadeh, L.A. 1978. "Fuzzy Sets as a Basis for a Theory of Possibility," *Fuzzy Sets and Systems*. Vol. 1, pp. 3-28.
90. Dubois, D. and H. Prade. 1988. *Possibility Theory: An Approach to Computerized Processing of Uncertainty*, New York: Plenum.
91. deCooman, G., D. Ruan, and E.E. Kerre (eds). 1995. "Foundations and Applications of Possibility Theory," *Proceedings of FAPT '95*. Ghent, Belgium, December 13-15, 1995: River Edge, NJ: World Scientific Publishing Co.
92. deCooman. 1997. "Possibility Theory Part I: Measure- and Integral-theoretic Ground-work; Part II: Conditional Possibility; Part III: Possibilistic Independence," *International Journal of General Systems*. Vol. 25, no. 4, pp. 291-371.
93. Dubois, D. and H. Prade, "Possibility Theory: Qualitative and Quantitative Aspects", in D.M. Grabbay and P. Smets (eds) *Handbook of Defeasible Reasoning and Uncertainty Management Systems*. 1998, Kluwer Academic Publishers: Boston. p. 169-226.
94. Zadeh, L.A. 1965. "Fuzzy Sets," *Information and Control*. Vol. 8, no. 3, pp. 338-353.
95. Kruse, K., J. Gebhardt, and K. Lawonn. 1994. *Foundations of Fuzzy Systems*, New York: Wiley.
96. Klir, G.J. and B. Yuan. 1995. *Fuzzy Sets and Fuzzy Logic: Theory and Applications*, Upper Saddle River, NJ: Prentice Hall.
97. Nguyen, H.T. and E.A. Walker. 1999. *A First Course in Fuzzy Logic (2nd Ed.)*, Boca Raton, FL: Chapman & Hall/CRC.
98. Ross, T.J. 2004. *Fuzzy Logic with Engineering Applications*. 2nd ed. New York, NY: Wiley.
99. Dubois, D. and H. Prade. 1989. "Fuzzy Sets, Probability and Measurement," *European Journal of Operational Research*. Vol. 40, pp. 135-154.
100. Wu, J.S., G.E. Apostolakis, and D. Okrent. 1990. "Uncertainty in System Analysis: Probabilistic Versus Nonprobabilistic Theories," *Reliability Engineering and System Safety*. Vol. 30, pp. 163-181.
101. Smets, P., Ed. "Probability, Possibility, Belief: Which and Where?," in D.M. Grabbay and P.

- Smets (eds) Handbook of Defeasible Reasoning and Uncertainty Management Systems*. 1998, Boston, MA: Kluwer Academic Publishers. pp. 1-24.
102. Dubois, D., H.T. Nguyen, and H. Prade, eds. "Possibility Theory, Probability Theory and Fuzzy Sets: Misunderstandings, Bridges and Gaps," in *D.M. Grabbay and P. smets (eds) Fundamentals of Fuzzy Sets*. 2000, Boston, MA.: Kluwer Academic Publishers. pp. 343-438.
  103. Klir, G.J. 2000. "Measures of Uncertainty and Information," in *D. Dubois and H. Prade (eds) Fundamentals of Fuzzy Sets*. Boston, MA: Kluwer Academic Publishers.
  104. Ross, T.J., J.M. Booker, and W.J. Parkinson (eds.). 2002. *Fuzzy Logic and Probability Applications: Bridging the Gap*. Philadelphia, PA: Society for Industrial and Applied Mathematics.
  105. Klir, G.J. 2004. "Generalized Information Theory: Aims, Results, and Open Problems," *Reliability Engineering and System Safety*. Vol. 85, no. 1-3, pp. 21-38.
  106. Klir, G.J. 2005. *Uncertainty and Information: Foundations of Generalized Information Theory*. Hoboken, NJ: Wiley.
  107. Lindley, D.V. 1982. "Scoring Rules and the Inevitability of Probability," *International Statistical Review*. Vol. 50, pp. 1-26.
  108. Lindley, D.V. 1987. "The Probability Approach to the Treatment of Uncertainty in Artificial Intelligence and Expert Systems," *Statistical Science*. Vol. 2, no. 1, pp. 17-24.
  109. Cheeseman, P. 1988. "An Inquiry into Computer Understanding," *Computational Intelligence*. Vol. 4, no. 1, pp. 58-66.
  110. Klir, G.J. 1989. "Is there more to uncertainty than some probability theorists might have us believe?," *International Journal of General Systems*. Vol. 15, pp. 347-378.
  111. Kosko, B. 1990. "Fuzziness vs. Probability," *International Journal of General Systems*. Vol. 17, no. 2-3, pp. 211-240.
  112. Laviolette, M. and J. Seaman. 1992. "Evaluating Fuzzy Representations of Uncertainty," *Mathematical Science*. Vol. 17, pp. 26-41.
  113. Klir, G.J. 1994. "On the Alleged Superiority of Probability Representation of Uncertainty," *IEEE Transactions on Fuzzy Systems*. Vol. 2, pp. 27-31.
  114. Laviolette, M., J. Seaman, J. Barrett, and W. Woodall. 1995. "A Probabilistic and Statistical View of Fuzzy Methods," *Technometrics*. Vol. 37, pp. 249-292.
  115. Ferson, S. and L. Ginzburg. 1996. "Different Methods are Needed to Propagate Ignorance and Variability," *Reliability Engineering and System Safety*. Vol. 54, no. 2-3, pp. 133-144.
  116. Cooke, R. 2004. "The Anatomy of the Squizel: The Role of Operational Definitions in Representing Uncertainty," *Reliability Engineering and System Safety*. Vol. 85, no. 1-3, pp. 313-319.
  117. O'Hagan, A. and J.E. Oakley. 2004. "Probability is Perfect, But We Can't Elicit it Perfectly," *Reliability Engineering and System Safety*. Vol. 85, no. 1-3, pp. 239-249.
  118. Dempster, A.P. 1967. "Upper and Lower Probabilities Induced by a Multivalued Mapping," *Annals of Mathematical Statistics*. Vol. 38, pp. 325-339.
  119. Dempster, A.P. 1968. "A Generalization of Bayesian Inference," *Journal of The Royal Statistical Society, Series B*. Vol. 30, pp. 205-247.
  120. Dempster, A.P. 1967. "Upper and Lower Probability Inferences Based on a Sample from a Finite Univariate Population," *Biometrika*. Vol. 54, no. 2-3, pp. 515-528.
  121. Ferson, S., R.B. Nelson, J. Hajagos, D.J. Berleant, J. Zhang, W.I. Tucker, L.R. Ginzburg, and W.L. Oberkampf. 2004. *Dependence in Probabilistic Modeling, Dempster-Shafer Theory, and Probability Bounds Analysis*, SAND2004-3072. Albuquerque, NM: Sandia National Laboratories.
  122. Joslyn, C. and J.C. Helton. 2002. "Bounds on belief and plausibility of functionality propagated random sets," *2002 Annual Meetings of the*

- North American Fuzzy Information Processing Society, Proceedings, 27-29 June 2002*. Ed. J. Keller and O. Nasraoui. New Orleans, LA: Piscataway, NJ: IEEE, 2002. 412-417.
123. Joslyn, C. and V. Kreinovich. 2005. "Convergence Properties of an Interval Probabilistic Approach to System Reliability Estimation," *International Journal of General Systems*. Vol. 34, no. 4, pp. 465-482.
  124. Iman, R.L. and J.C. Helton. 1988. "An Investigation of Uncertainty and Sensitivity Analysis Techniques for Computer Models," *Risk Analysis*. Vol. 8, no. 1, pp. 71-90.
  125. Iman, R.L. and J.C. Helton. 1991. "The Repeatability of Uncertainty and Sensitivity Analyses for Complex Probabilistic Risk Assessments," *Risk Analysis*. Vol. 11, no. 4, pp. 591-606.
  126. Helton, J.C., J.D. Johnson, M.D. McKay, A.W. Shiver, and J.L. Sprung. 1995. "Robustness of an Uncertainty and Sensitivity Analysis of Early Exposure Results with the MACCS Reactor Accident Consequence Model," *Reliability Engineering and System Safety*. Vol. 48, no. 2, pp. 129-148.
  127. Helton, J.C., F.J. Davis, and J.D. Johnson. 2005. "A Comparison of Uncertainty and Sensitivity Analysis Results Obtained with Random and Latin Hypercube Sampling," *Reliability Engineering and System Safety*. Vol. 89, no. 3, pp. 305-330.
  128. Helton, J.C. and F.J. Davis. 2002. "Illustration of Sampling-Based Methods for Uncertainty and Sensitivity Analysis," *Risk Analysis*. Vol. 22, no. 3, pp. 591-622.
  129. Helton, J.C. and F.J. Davis. 2000. "Sampling-Based Methods," *Sensitivity Analysis*. Ed. A. Saltelli, K. Chan, and E.M. Scott. New York, NY: Wiley. pp. 101-153.
  130. Kleijnen, J.P.C. and J.C. Helton. 1999. "Statistical Analyses of Scatterplots to Identify Important Factors in Large-Scale Simulations, 1: Review and Comparison of Techniques," *Reliability Engineering and System Safety*. Vol. 65, no. 2, pp. 147-185.
  131. Helton, J.C. 1993. "Uncertainty and Sensitivity Analysis Techniques for Use in Performance Assessment for Radioactive Waste Disposal," *Reliability Engineering and System Safety*. Vol. 42, no. 2-3, pp. 327-367.
  132. Storlie, C.B. and J.C. Helton. 2006. *Multiple Predictor Smoothing Methods for Sensitivity Analysis*, SAND2006-4693. Albuquerque, NM: Sandia National Laboratories.
  133. Helton, J.C., J.D. Johnson, W.L. Oberkampf, and C.J. Sallaberry. 2006. "Sensitivity Analysis in Conjunction with Evidence Theory Representations of Epistemic Uncertainty," *Reliability Engineering and System Safety*. Vol. 91, no. 10-11, pp. 1414-1434.
  134. Helton, J.C., W.L. Oberkampf, and J.D. Johnson. 2005. "Competing Failure Risk Analysis Using Evidence Theory," *Risk Analysis*. Vol. 25, no. 4, pp. 973-995.
  135. Crowder, M.J. 2001. *Classical Competing Risks*. Boca Raton, FL: Chapman & Hall/CRC.
  136. David, H.A. and M.L. Moeschberger. 1978. *The Theory of Competing Risks*. London: Griffin.
  137. Seal, H.L. 1977. "Studies in the History of Probability and Statistics, XXXV. Multiple Decrements or Competing Risks," *Biometrika*. Vol. 64, pp. 429-439.
  138. Gail, M. 1975. "Review and Critique of Some Models Used in Competing Risk Analysis," *Biometrics*. Vol. 31, no. 1, pp. 209-222.
  139. Helton, J.C., J.D. Johnson, and W.L. Oberkampf. 2006. "Probability of Loss of Assured Safety in Temperature Dependent Systems with Multiple Weak and Strong Links," *Reliability Engineering and System Safety*. Vol. 91, no. 3, pp. 320-348.
  140. Iman, R.L. and W.J. Conover. 1982. "A Distribution-Free Approach to Inducing Rank Correlation Among Input Variables," *Communications in Statistics: Simulation and Computation*. Vol. B11, no. 3, pp. 311-334.
  141. Iman, R.L. and J.M. Davenport. 1982. "Rank Correlation Plots for Use with Correlated Input Variables," *Communications in Statistics: Simu-*

- lation and Computation. Vol. B11, no. 3, pp. 335-360.
142. Cacuci, D.G. and M. Ionescu-Bujor. 2004. "A Comparative Review of Sensitivity and Uncertainty Analysis of Large-Scale Systems--II: Statistical Methods," *Nuclear Science and Engineering*. Vol. 147, no. 3, pp. 204-217.
  143. Frey, H.C. and S.R. Patil. 2002. "Identification and Review of Sensitivity Analysis Methods," *Risk Analysis*. Vol. 22, no. 3, pp. 553-578.
  144. Blower, S.M. and H. Dowlatabadi. 1994. "Sensitivity and Uncertainty Analysis of Complex Models of Disease Transmission: an HIV Model, as an Example," *International Statistical Review*. Vol. 62, no. 2, pp. 229-243.
  145. Hamby, D.M. 1994. "A Review of Techniques for Parameter Sensitivity Analysis of Environmental Models," *Environmental Monitoring and Assessment*. Vol. 32, no. 2, pp. 135-154.
  146. Saltelli, A. and J. Marivoet. 1990. "Non-Parametric Statistics in Sensitivity Analysis for Model Output. A Comparison of Selected Techniques," *Reliability Engineering and System Safety*. Vol. 28, no. 2, pp. 229-253.
  147. Iman, R.L., J.C. Helton, and J.E. Campbell. 1981. "An Approach to Sensitivity Analysis of Computer Models, Part 1. Introduction, Input Variable Selection and Preliminary Variable Assessment," *Journal of Quality Technology*. Vol. 13, no. 3, pp. 174-183.
  148. Iman, R.L., J.C. Helton, and J.E. Campbell. 1981. "An Approach to Sensitivity Analysis of Computer Models, Part 2. Ranking of Input Variables, Response Surface Validation, Distribution Effect and Technique Synopsis," *Journal of Quality Technology*. Vol. 13, no. 4, pp. 232-240.
  149. Iman, R.L. and W.J. Conover. 1979. "The Use of the Rank Transform in Regression," *Technometrics*. Vol. 21, no. 4, pp. 499-509.
  150. Cleveland, W.S. 1979. "Robust Locally Weighted Regression and Smoothing Scatterplots," *Journal of the American Statistical Association*. Vol. 14, no. 368, pp. 829-836.
  151. Hastie, T.J. and R.J. Tibshirani. 1990. *Generalized Additive Models*. London: Chapman & Hall.
  152. Friedman, J.H. and W. Stuetzle. 1981. "Projection Pursuit Regression," *Journal of the American Statistical Association*. Vol. 76, no. 376, pp. 817-823.
  153. Friedman, J.H. 1991. "Multivariate Adaptive Regression Splines (with discussion)," *The Annals of Statistics*. Vol. 19, no. 1, pp. 1-141.
  154. Breiman, L., J.H. Friedman, R.A. Olshen, and C.J. Stone. 1984. *Classification and Regression Trees*. Belmont, CA: Wadsworth Intl.
  155. Ruppert, D., M.P. Ward, and R.J. Carroll. 2003. *Semiparametric Regression*. Cambridge: Cambridge University Press.
  156. Simonoff, J.S. 1996. *Smoothing Methods in Statistics*. New York, NY: Springer-Verlag.
  157. Bowman, A.W. and A. Azzalini. 1997. *Applied Smoothing Techniques for Data Analysis*. Oxford: Clarendon.
  158. Härdle, W. 1990. *Applied Nonparametric Regression*. Cambridge: Cambridge University Press.

## DISTRIBUTION

### External Distribution

M. A. Adams  
Jet Propulsion Laboratory  
4800 Oak Grove Drive, MS 97  
Pasadena, CA 91109

Prof. Harish Agarwal  
University of Notre Dame  
Dept. of Aerospace & Mechanical Engineering  
Notre Dame, IN 46556

Prof. M. Aivazis  
Center for Advanced Computing Research  
California Institute of Technology  
1200 E. California Blvd./MS 158-79  
Pasadena, CA 91125

Prof. G. E. Apostolakis  
Department of Nuclear Engineering  
Massachusetts Institute of Technology  
Cambridge, MA 02139-4307

Mick Apted  
Monitor Scientific, LLC  
3900 S. Wadsworth Blvd., Suite 555  
Denver, CO 80235

Prof. Bilal Ayyub  
University of Maryland  
Center for Technology & Systems Management  
Civil & Environmental Engineering  
Rm. 0305 Martin Hall  
College Park, MD 20742-3021

Prof. Ivo Babuska  
TICAM  
Mail Code C0200  
University of Texas at Austin  
Austin, TX 78712-1085

Prof. S. Balachandar  
Theoretical and Applied Mechanics Dept.  
216 Talbot Laboratory, MC 262  
104 S. Wright St.  
University of Illinois  
Urbana, IL 61801

Prof. Ha-Rok Bae  
Wright State University  
Mechanical Engineering Dept.  
MS 209RC  
3640 Colonel Glenn Highway  
Dayton, OH 45435

Prof. Osman Balci  
Department of Computer Science  
Virginia Tech  
Blacksburg, VA 24061

Timothy M. Barry  
National Center for Environmental Economics  
U.S. Environmental Protection Agency  
1200 Pennsylvania Ave., NW  
MC 1809  
Washington, DC 20460

Steven M. Bartell  
The Cadmus Group, Inc.  
339 Whitecrest Dr.  
Maryville, TN 37801

J. Michael Barton  
HQ Army Developmental Test Command  
Technology Management Div., Rm 245  
314 Longs Corner Road  
Aberdeen Proving Ground, MD 21005-5005

Prof. Steven Batill  
Dept. of Aerospace & Mechanical Engr.  
University of Notre Dame  
Notre Dame, IN 46556

Bechtel SAIC Company, LLC (10)

Attn: Bob Andrews  
Bryan Bullard  
Brian Dunlap  
Rob Howard  
Jerry McNeish  
Sunil Mehta  
Kevin Mons  
Larry Rickertsen  
Michael Voegelé  
Jean Younker  
1180 Town Center Drive  
Las Vegas, NV 89134

Prof. Bruce Beck  
University of Georgia  
D.W. Brooks Drive  
Athens, GA 30602-2152

Prof. Ted Belytschko  
Department of Mechanical Engineering  
Northwestern University  
2145 Sheridan Road  
Evanston, IL 60208

John Benek  
AFRL/VAAC  
2210 Eighth St.  
Wright-Patterson AFB, OH 45433

Prof. James Berger  
Inst. of Statistics and Decision Science  
Duke University  
Box 90251  
Durham, NC 27708-0251

Prof. Daniel Berleant  
Iowa State University  
Department of EE & CE  
2215 Coover Hall  
Ames, IA 50014

Prof. V. M. Bier  
Department of Industrial Engineering  
University of Wisconsin  
Madison, WI 53706

Prof. S.M. Blower  
Department of Biomathematics  
UCLA School of Medicine  
10833 Le Conte Avenue  
Los Angeles, CA 90095-1766

Kenneth T. Bogen  
P.O. Box 808  
Livermore, CA 94550

Pavel A. Bouzinov  
ADINA R&D, Inc.  
71 Elton Avenue  
Watertown, MA 02472

Prof. Mark Brandyberry  
Computational Science and Engineering  
2264 Digital Computer Lab, MC-278  
1304 West Springfield Ave.  
University of Illinois  
Urbana, IL 61801

John A. Cafeo  
General Motors R&D Center  
Mail Code 480-106-256  
30500 Mound Road  
Box 9055  
Warren, MI 48090-9055

Andrew Cary  
The Boeing Company  
MC S106-7126  
P.O. Box 516  
St. Louis, MO 63166-0516

James C. Cavendish  
General Motors R&D Center  
Mail Code 480-106-359  
30500 Mound Road  
Box 9055  
Warren, MI 48090-9055

Prof. Chun-Hung Chen  
Department of Systems Engineering &  
Operations Research  
George Mason University  
4400 University Drive, MS 4A6  
Fairfax, VA 22030

Prof. Wei Chen  
Department of Mechanical Engineering  
Northwestern University  
2145 Sheridan Road, Tech B224  
Evanston, IL 60208-3111

Prof. Kyeongjae Cho  
Dept. of Mechanical Engineering  
MC 4040  
Stanford University  
Stanford, CA 94305-4040

Prof. Hugh Coleman  
Department of Mechanical & Aero. Engineering  
University of Alabama/Huntsville  
Huntsville, AL 35899

Prof. W. J. Conover  
College of Business Administration  
Texas Tech. University  
Lubbock, TX 79409

Prof. Allin Cornell  
Department of Civil and Environmental  
Engineering  
Terman Engineering Center  
Stanford University  
Stanford, CA 94305-4020



Raymond Cosner  
Boeing-Phantom Works  
MC S106-7126  
P. O. Box 516  
St. Louis, MO 63166-0516

Thomas A. Cruse  
AFRL Chief Technologist  
1981 Monahan Way  
Bldg., 12, Room 107  
Wright-Patterson AFB, OH 45433-7132

Prof. Alison Cullen  
University of Washington  
Box 353055  
208 Parrington Hall  
Seattle, WA 98195-3055

Prof. F.J. Davis  
Department of Mathematics, Physical Sciences, and  
Engineering Technology  
West Texas A&M University  
P.O. Box 60787  
Cannon, TX 79016

Prof. A.P. Dempster  
Dept. of Statistics  
Harvard University  
Cambridge, MA 02138

Prof. U. M. Diwekar  
Center for Energy and Environmental Studies  
Carnegie Mellon University  
Pittsburgh, PA 15213-3890

Pamela Doctor  
Battelle Northwest  
P.O. Box 999  
Richland, WA 99352

Prof. David Dolling  
Department of Aerospace Engineering  
& Engineering Mechanics  
University of Texas at Austin  
Austin, TX 78712-1085

Prof. David Draper  
Applied Math & Statistics  
147 J. Baskin Engineering Bldg.  
University of California  
1156 High St.  
Santa Cruz, CA 95064

Prof. Isaac Elishakoff  
Dept. of Mechanical Engineering  
Florida Atlantic University  
777 Glades Road  
Boca Raton, FL 33431-0991

Prof. Ashley Emery  
Dept. of Mechanical Engineering  
Box 352600  
University of Washington  
Seattle, WA 98195-2600

Paul W. Eslinger  
Environmental Technology Division  
Pacific Northwest National Laboratory  
Richland, WA 99352-2458

Prof. John Evans  
Harvard Center for Risk Analysis  
718 Huntington Avenue  
Boston, MA 02115

Prof. Rodney C. Ewing  
Nuclear Engineering and Radiological Science  
University of Michigan  
Ann Arbor, MI 48109-2104

Prof. Charles Fairhurst  
417 5<sup>th</sup> Avenue N  
South Saint Paul, MN 55075

Scott Ferson  
Applied Biomathematics  
100 North Country Road  
Setauket, New York 11733-1345

James J. Filliben  
Statistical Engineering Division  
ITL, M.C. 8980  
100 Bureau Drive, N.I.S.T.  
Gaithersburg, MD 20899-8980

Prof. Joseph E. Flaherty  
Dept. of Computer Science  
Rensselaer Polytechnic Institute  
Troy, NY 12181

Jeffrey T. Fong  
Mathematical & Computational Sciences Division  
M.C. 8910  
100 Bureau Drive, N.I.S.T.  
Gaithersburg, MD 20899-8910

John Fortna  
ANSYS, Inc.  
275 Technology Drive  
Canonsburg, PA 15317

Michael V. Frank  
Safety Factor Associates, Inc.  
1410 Vanessa Circle, Suite 16  
Encinitas, CA 92024

Prof. C. Frey  
Department of Civil Engineering  
Box 7908, NCSU  
Raleigh, NC 27659-7908

Prof. Marc Garbey  
Dept. of Computer Science  
Univ. of Houston  
501 Philipp G. Hoffman Hall  
Houston, Texas 77204-3010

B. John Garrick  
221 Crescent Bay Dr.  
Laguna Beach, CA 92651

Prof. Roger Ghanem  
254C Kaprielian Hall  
Dept. of Civil Engineering  
3620 S. Vermont Ave.  
University of Southern California  
Los Angeles, CA 90089-2531

Mike Giltrud  
Defense Threat Reduction Agency  
DTRA/CPWS  
6801 Telegraph Road  
Alexandria, VA 22310-3398

Prof. James Glimm  
Dept. of Applied Math & Statistics  
P138A  
State University of New York  
Stony Brook, NY 11794-3600

James Gran  
SRI International  
Poulter Laboratory AH253  
333 Ravenswood Avenue  
Menlo Park, CA 94025

Prof. Ramana Grandhi  
Dept. of Mechanical and Materials  
Engineering  
3640 Colonel Glenn Hwy.  
Dayton, OH 45435-0001

Michael B. Gross  
Michael Gross Enterprises  
21 Tradewind Passage  
Corte Madera, CA 94925

Bernard Grossman  
The National Institute of Aerospace  
144 Research Drive  
Hampton, VA 23666

Sami Habchi  
CFD Research Corp.  
Cummings Research Park  
215 Wynn Drive  
Huntsville, AL 35805

Prof. Raphael Haftka  
Dept. of Aerospace and Mechanical  
Engineering and Engineering Science  
P.O. Box 116250  
University of Florida  
Gainesville, FL 32611-6250

Prof. Yacov Y. Haimes  
Center for Risk Management of Engineering Systems  
D111 Thornton Hall  
University of Virginia  
Charlottesville, VA 22901

Prof. Achintya Haldar  
Dept. of Civil Engineering & Engineering Mechanics  
University of Arizona  
Tucson, AZ 85721

John Hall  
6355 Alderman Drive  
Alexandria, VA 22315

Prof. David M. Hamby  
Department of Nuclear Engineering and Radiation  
Health Physics  
Oregon State University  
Corvallis, OR 97331

Tim Hasselman  
ACTA  
2790 Skypark Dr., Suite 310  
Torrance, CA 90505-5345

George Hazelrigg  
Division of Design, Manufacturing & Innovation  
Room 508N  
4201 Wilson Blvd.  
Arlington, VA 22230

Prof. Richard Hills  
New Mexico State University  
College of Engineering, MSC 3449  
P.O. Box 30001  
Las Cruces, NM 88003

F. Owen Hoffman  
SENES  
102 Donner Drive  
Oak Ridge, TN 37830

Prof. Steve Hora  
Institute of Business and Economic Studies  
University of Hawaii, Hilo  
523 W. Lanikaula  
Hilo, HI 96720-409 1

Prof. G. M. Hornberger  
Dept. of Environmental Science  
University of Virginia  
Charlottesville, VA 22903

R.L. Iman  
Southwest Design Consultants  
12005 St. Mary's Drive, NE  
Albuquerque, NM 87111

Intera, Inc. (2)  
Attn: Neal Deeds  
Srikanta Mishra  
9111A Research Blvd.  
Austin, TX 78758

George Ivy  
Northrop Grumman Information Technology  
222 West Sixth St.  
P.O. Box 471  
San Pedro, CA 90733-0471

Rima Izem  
Science and Technology Policy Intern  
Board of Mathematical Sciences and Applications  
500 5th Street, NW  
Washington, DC 20001

Ralph Jones  
Sverdrup Tech. Inc./AEDC Group  
1099 Avenue C  
Arnold AFB, TN 37389-9013

Prof. Leo Kadanoff  
Research Institutes Building  
University of Chicago  
5640 South Ellis Ave.  
Chicago, IL 60637

Prof. George Karniadakis  
Division of Applied Mathematics  
Brown University  
192 George St., Box F  
Providence, RI 02912

Prof. Alan Karr  
Inst. of Statistics and Decision Science  
Duke University  
Box 90251  
Durham, NC 27708-0251

Prof. W. E. Kastenberg  
Department of Nuclear Engineering  
University of California, Berkeley  
Berkeley, CA 94720

J. J. Keremes  
Boeing Company  
Rocketdyne Propulsion & Power  
MS AC-15  
P. O. Box 7922  
6633 Canoga Avenue  
Canoga Park, CA 91309-7922

John Kessler  
HLW and Spent Fuel Management Program  
Electric Power Research Institute  
1300 West W.T. Harris Blvd.  
Charlotte, NC 28262

K. D. Kimsey  
U.S. Army Research Laboratory  
Weapons & Materials Research Directorate  
AMSRL-WM-TC 309 120A  
Aberdeen Proving Gd, MD 21005-5066

Prof. George Klir  
Binghamton University  
Thomas J. Watson School of Engineering &  
Applied Sciences  
Engineering Building, T-8  
Binghamton NY 13902-6000

B. A. Kovac  
Boeing - Rocketdyne Propulsion & Power  
MS AC-15  
P. O. Box 7922  
6633 Canoga Avenue  
Canoga Park, CA 91309-7922

Prof. Vladik Kreinovich  
University of Texas at El Paso  
Computer Science Department  
500 West University  
El Paso, TX 79968

Averill M. Law  
6601 E. Grant Rd.  
Suite 110  
Tucson, AZ 85715

Chris Layne  
AEDC  
Mail Stop 6200  
760 Fourth Street  
Arnold AFB, TN 37389-6200

Prof. W. K. Liu  
Northwestern University  
Dept. of Mechanical Engineering  
2145 Sheridan Road  
Evanston, IL 60108-3111

Robert Lust  
General Motors, R&D and Planning  
MC 480-106-256  
30500 Mound Road  
Warren, MI 48090-9055

Prof. Sankaran Mahadevan  
Vanderbilt University  
Department of Civil and Environmental  
Engineering  
Box 6077, Station B  
Nashville, TN 37235

Hans Mair  
Institute for Defense Analysis  
Operational Evaluation Division  
4850 Mark Center Drive  
Alexandria VA 22311-1882

M.G. Marietta  
1905 Gwenda  
Carlsbad, NM 88220

Don Marshall  
84250 Indio Springs Drive, #291  
Indio, CA 92203

Jean Marshall  
84250 Indio Springs Drive, #291  
Indio, CA 92203

W. McDonald  
NDM Solutions  
1420 Aldenham Lane  
Reston, VA 20190-3901

Prof. Thomas E. McKone  
School of Public Health  
University of California  
Berkeley, CA 94270-7360

Prof. Gregory McRae  
Dept. of Chemical Engineering  
Massachusetts Institute of Technology  
Cambridge, MA 02139

Michael Mendenhall  
Nielsen Engineering & Research, Inc.  
605 Ellis St., Suite 200  
Mountain View, CA 94043

Juan Meza  
High Performance Computing Research  
Lawrence Berkeley National Laboratory  
One Cyclotron Road, MS: 50B-2239  
Berkeley, CA 94720

Ian Miller  
Goldsim Technology Group  
22516 SE 64<sup>th</sup> Place, Suite 110  
Issaquah, WA 98027-5379

Prof. Sue Minkoff  
Dept. of Mathematics and Statistics  
University of Maryland  
1000 Hilltop Circle  
Baltimore, MD 21250

Prof. Max Morris  
Department of Statistics  
Iowa State University  
304A Snedecor-Hall  
Ames, IA 50011-1210

Prof. Ali Mosleh  
Center for Reliability Engineering  
University of Maryland  
College Park, MD 207 14-21 15

Prof. Rafi Muhanna  
Regional Engineering Program  
Georgia Tech  
210 Technology Circle  
Savannah, GA 31407-3039

R. Namburu  
U.S. Army Research Laboratory  
AMSRL-CI-H  
Aberdeen Proving Gd, MD 21005-5067

NASA/Ames Research Center (2)  
Attn: Unmeel Mehta, MS 229-3  
David Thompson, MS 269-1  
Moffett Field, CA 94035-1000

NASA/Glen Research Center (2)  
Attn: John Slater, MS 86-7  
Chris Steffen, MS 5-11  
21000 Brookpark Road  
Cleveland, OH 44135

NASA/Langley Research Center (8)  
Attn: Dick DeLoach, MS 236  
Michael Hemsch, MS 499  
Tianshu Liu, MS 238  
Jim Luckring, MS 286  
Joe Morrison, MS 128  
Ahmed Noor, MS 369  
Sharon Padula, MS 159  
Thomas Zang, MS 449  
Hampton, VA 23681-0001

Naval Research Laboratory (4)  
Attn: Jay Borris  
Allen J. Goldberg  
Robert Gover  
John G. Michopoulos  
4555 Overlook Avenue  
S.W. Washington D.C. 20375

C. Needham  
Applied Research Associates, Inc.  
4300 San Mateo Blvd., Suite A-220  
Albuquerque, NM 87110

Prof. Robert Nelson  
Dept. of Aerospace & Mechanical Engr.  
University of Notre Dame  
Notre Dame, IN 46556

Prof. Shlomo Neuman  
Department of Hydrology and Water Resources  
University of Arizona  
Tucson, AZ 85721

Thomas J. Nicholson  
Office of Nuclear Regulatory Research  
Mail Stop T-9C34  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

Prof. Efstratios Nikolaidis  
MIME Dept.  
4035 Nitschke Hall  
University of Toledo  
Toledo, OH 43606-3390

D. Warner North  
North Works, Inc.  
1002 Misty Lane  
Belmont, C.A. 94002

Nuclear Waste Technical Review Board (2)  
Attn: Chairman  
2300 Clarendon Blvd. Ste 1300  
Arlington, VA 22201-3367

D. L. O'Connor  
Boeing Company  
Rocketdyne Propulsion & Power  
MS AC-15  
P. O. Box 7922  
6633 Canoga Avenue  
Canoga Park, CA 91309-7922

Prof. Tinsley Oden  
TICAM  
Mail Code C0200  
University of Texas at Austin  
Austin, TX 78712-1085

Prof. David Okrent  
Mechanical and Aerospace Engineering  
Department  
University of California  
48-121 Engineering IV Building  
Los Angeles, CA 90095-1587

Prof. Michael Ortiz  
Graduate Aeronautical Laboratories  
California Institute of Technology  
1200 E. California Blvd./MS 105-50  
Pasadena, CA 91125

Dale K. Pace  
4206 Southfield Rd  
Ellicott City, MD 21042-5906

Prof. Alex Pang  
Computer Science Department  
University of California  
Santa Cruz, CA 95064

Prof. Chris Paredis  
School of Mechanical Engineering  
Georgia Institute of Technology  
813 Ferst Drive, MARC Rm. 256  
Atlanta, GA 30332-0405

Gareth Parry  
19805 Bodmer Ave  
Poolesville, MD 200837

Prof. M. Elisabeth Paté-Cornell  
Department of Industrial Engineering and  
Management  
Stanford University  
Stanford, CA 94305

Prof. Chris L. Pettit  
Aerospace Engineering Dept.  
MS-11B  
590 Holloway Rd.  
Annapolis, MD 21402

Allan Pifko  
2 George Court  
Melville, NY 11747

Prof. Thomas H. Pigford  
Department of Nuclear Engineering  
4159 Etcheverry Hall  
University of California  
Berkeley, CA 94720

Prof. Joseph Powers  
Dept. of Aerospace and Mechanical Engr.  
University of Notre Dame  
Notre Dame, IN 46556-5637

Cary Presser  
Process Measurements Div.  
National Institute of Standards and Technology  
Bldg. 221, Room B312  
Gaithersburg, MD 20899

Gerald R. Prichard  
Principal Systems Analyst  
Dynetics, Inc.  
1000 Explorer Blvd.  
Huntsville, AL 35806

Thomas A. Pucik  
Pucik Consulting Services  
13243 Warren Avenue  
Los Angeles, CA 90066-1750

Prof. Herschel Rabitz  
Princeton University  
Department of Chemistry  
Princeton, NJ 08544

Prof. P. Radovitzky  
Graduate Aeronautical Laboratories  
California Institute of Technology  
1200 E. California Blvd./MS 105-50  
Pasadena, CA 91125

W. Rafaniello  
DOW Chemical Company  
1776 Building  
Midland, MI 48674

Prof. Adrian E. Raftery  
Department of Statistics  
University of Washington  
Seattle, WA 98195

Chris Rahaim  
Rotordynamics-Seal Research  
3302 Swetzer Road  
Loomis, CA 95650

Kadambi Rajagopal  
The Boeing Company  
6633 Canoga Avenue  
Canoga Park, CA 91309-7922

Banda S. Ramarao  
Framatome ANP DE&S  
9111B Research Blvd.  
Austin, TX 78758

J.N. Reddy  
Dept. of Mechanical Engineering  
Texas A&M University  
ENPH Building, Room 210  
College Station, TX 77843-3123

Grant Reinman  
Pratt & Whitney  
400 Main Street, M/S 162-01  
East Hartford, CT 06108

Prof. John Renaud  
Dept. of Aerospace & Mechanical Engr.  
University of Notre Dame  
Notre Dame, IN 46556

Prof. James A. Reneke  
Department of Mathematical Sciences  
Clemson University  
Clemson, SC 29634-0975

Patrick J. Roache  
1215 Apache Drive  
Socorro, NM 87801

Prof. A. J. Rosakis  
Graduate Aeronautical Laboratories  
California Institute of Technology  
1200 E. California Blvd./MS 105-50  
Pasadena, CA 91125

Prof. Tim Ross  
Dept. of Civil Engineering  
University of New Mexico  
Albuquerque, NM 87131

Prof. Chris Roy  
Dept. of Aerospace Engineering  
211 Aerospace Engineering Bldg.  
Auburn University, AL 36849-5338

Prof. J. Sacks  
Inst. of Statistics and Decision Science  
Duke University  
Box 90251  
Durham, NC 27708-0251

Prof. Sunil Saigal  
Carnegie Mellon University  
Department of Civil and Environmental Engineering  
Pittsburgh, PA 15213

Larry Sanders  
DTRA/ASC  
8725 John J. Kingman Rd  
MS 6201  
Ft. Belvoir, VA 22060-6201

Len Schwer  
Schwer Engineering & Consulting  
6122 Aaron Court  
Windsor, CA 95492

Nell Sedransk  
Statistical Engineering Division ITL, M.C. 8980  
100 Bureau Drive, N.I.S.T.  
Gaithersburg, MD 20899-8980

Prof. T. Seidenfeld  
Dept. of Philosophy  
Carnegie Mellon University  
Pittsburgh, PA 15213

Paul Senseny  
Factory Mutual Research Corporation  
1151 Boston-Providence Turnpike  
P.O. Box 9102  
Norwood, MA 02062

E. Sevin  
Logicon RDA, Inc.  
1782 Kenton Circle  
Lyndhurst, OH 44124

Prof. Mark Shephard  
Rensselaer Polytechnic Institute  
Scientific Computation Research Center  
Troy, NY 12180-3950

Prof. Tom I-P. Shih  
Dept. of Mechanical Engineering  
2452 Engineering Building  
East Lansing, MI 48824-1226

T. P. Shivananda  
Bldg. SB2/Rm. 1011  
TRW/Ballistic Missiles Division  
P.O. Box 1310  
San Bernardino, CA 92402-1310

Don Simons  
Northrop Grumman Information Tech.  
222 W. Sixth St.  
P.O. Box 471  
San Pedro, CA 90733-0471

Munir M. Sindir  
Boeing – Rocketdyne Propulsion & Power  
MS GB-11  
P.O. Box 7922  
6633 Canoga Avenue  
Canoga Park, CA 91309-7922

Ashok Singhal  
CFD Research Corp.  
Cummings Research Park  
215 Wynn Drive  
Huntsville, AL 35805

R. Singleton  
Engineering Sciences Directorate  
Army Research Office  
4300 S. Miami Blvd.  
P.O. Box 1221  
Research Triangle Park, NC 27709-2211

Prof. Nozer D. Singpurwalla  
The George Washington University  
Department of Statistics  
2140 Pennsylvania Ave. NW  
Washington, DC 20052

Nathan Siu  
Probabilistic Risk Analysis Branch  
MS 10E50  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

W. E. Snowden  
DARPA  
7120 Laketree Drive  
Fairfax Station, VA 22039

Southwest Research Institute (8)  
Attn: C.E. Anderson  
C.J. Freitas  
L. Huyse  
S. Mohanty  
O. Osidele  
O. Pensado  
B. Sagar  
B. Thacker

P.O. Drawer 285 10  
622 Culebra Road  
San Antonio, TX 78284

Prof. Bill Spencer  
Dept. of Civil Engineering and Geological Sciences  
University of Notre Dame  
Notre Dame, IN 46556-0767

G. R. Srinivasan  
Org. L2-70, Bldg. 157  
Lockheed Martin Space & Strategic Missiles  
1111 Lockheed Martin Way  
Sunnyvale, CA 94089

Prof. Fred Stern  
Professor Mechanical Engineering  
Iowa Institute of Hydraulic Research  
The University of Iowa  
Iowa City, Iowa 52242

Prof. D. E. Stevenson  
Computer Science Department  
Clemson University  
442 Edwards Hall, Box 341906  
Clemson, SC 29631-1906

Prof. C.B. Storlie (10)  
Department of Statistics  
North Carolina State University  
Raleigh, NC 27695

Tim Swafford  
Sverdrup Tech. Inc./AEDC Group  
1099 Avenue C  
Arnold AFB, TN 37389-9013

Kenneth Tatum  
Sverdrup Tech. Inc./AEDC Group  
740 Fourth Ave.  
Arnold AFB, TN 37389-6001

Prof. Raul Tempone  
School of Computational Science  
400 Dirac Science Library  
Florida State University  
Tallahassee, FL 32306-4120

Prof. T. G. Theofanous  
Department of Chemical and Nuclear  
Engineering  
University of California  
Santa Barbara, CA 93106

Prof. Raul Tempone  
School of Computational Science  
400 Dirac Science Library  
Florida State University  
Tallahassee, FL 32306-4120

Prof. K.M. Thompson  
Harvard School of Public Health  
677 Huntington Avenue  
Boston, MA 02115

Martin Tierney  
Plantae Research Associates  
415 Camino Manzano  
Santa Fe, NM 87505

Prof. Fulvio Tonon  
Department of Civil Engineering  
University of Texas at Austin  
1 University Station C1792  
Austin, TX 78712-0280



Stephen D. Unwin  
Pacific Northwest National Laboratory  
P.O. Box 999  
Mail Stop K6-52  
Richland, WA 99354

U.S. Nuclear Regulatory Commission  
Advisory Committee on Nuclear Waste  
Attn: A.C. Campbell  
Washington, DC 20555

U.S. Nuclear Regulatory Commission (6)  
Office of Nuclear Material Safety and Safeguards  
Attn: A.C. Campbell (MS TWFN-7F27)  
R.B. Codell (MS TWFN-7F27)  
K.W. Compton (MS TWFN-7F27)  
S.T. Ghosh (MS TWFN-7F27)  
B.W. Leslie (MS TWFN-7F27)  
T.J. McCartin (MS TWFN-7F3)  
Washington, DC 20555-0001

Prof. Robert W. Walters  
Aerospace and Ocean Engineering  
Virginia Tech  
215 Randolph Hall, MS 203  
Blacksburg, VA 24061-0203

Leonard Wesley  
Intellex Inc.  
5932 Killarney Circle  
San Jose, CA 95138

Christopher G. Whipple  
Environ  
Marketplace Tower  
6001 Shellmound St. Suite 700  
Emeryville, C.A. 94608

Justin Y-T Wu  
8540 Colonnade Center Drive, Ste 301  
Raleigh, NC 27615

Prof. Ron Yager  
Machine Intelligence Institute  
Iona College  
715 North Avenue  
New Rochelle, NY 10801

Ren-Jye Yang  
Ford Research Laboratory  
MD2115-SRL  
P.O. Box 2053  
Dearborn, MI 4812

Simone Youngblood  
DOD/DMSO  
Technical Director for VV&A  
1901 N. Beauregard St., Suite 504  
Alexandria, VA 22311

Prof. Robert L. Winkler  
Fuqua School of Business  
Duke University  
Durham, NC 27708-0120

Prof. Martin A. Wortman  
Dept. of Industrial Engineering  
Texas A&M University  
TAMU 3131  
College Station, TX 77843-3131

Prof. Lofti Zadeh  
Div. Computer Science  
University of California, Berkeley  
Berkeley, CA 94720

Prof. M. A. Zikry  
North Carolina State University  
Mechanical & Aerospace Engineering  
2412 Broughton Hall, Box 7910  
Raleigh, NC 27695

#### **Foreign Distribution**

Jesus Alonso  
ENRESA  
Calle Emilio Vargas 7  
28 043 MADRID  
SPAIN

Prof. Tim Bedford  
Department of Management Sciences  
Strathclyde University  
40 George Street  
Glasgow G630NF  
UNITED KINGDOM

Prof. Yakov Ben-Haim  
Department of Mechanical Engineering  
Technion-Israel Institute of Technology  
Haifa 32000  
ISRAEL

Prof. Ricardo Bolado  
Polytechnical University of Madrid  
Jose Gutierrez, Abascal, 2  
28006 Madrid  
SPAIN

Prof. A.P. Bourgeat  
UMR 5208 – UCB Lyon1, MCS, Bât. ISTIL  
Domaine de la Doua; 15 Bd. Latarjet  
69622 Villeurbanne Cedex  
FRANCE

Prof. D.G. Cacuci  
Institute for Reactor Technology and Safety  
University of Karlsruhe  
76131 Karlsruhe  
GERMANY

Prof. Enrique Castillo  
Department of Applied Mathematics and  
Computational Science  
University of Cantabria  
Santandar  
SPAIN

CEA Cadarache (2)  
Attn: Nicolas Devictor  
Bertrand Iooss  
DEN/CAD/DER/SESI/CFR  
Bat 212  
13108 Saint Paul lez Durance cedex  
FRANCE

Prof. Russell Cheng  
School of Mathematics  
Southampton University  
Southampton, SO17 1BJ  
UNITED KINGDOM

Prof. Roger Cooke  
Department of Mathematics  
Delft University of Technology  
P.O. Box 503 1 2800 GA Delft  
THE NETHERLANDS

Prof. Gert de Cooman  
Universiteit Gent  
Onderzoeksgroep, SYSTeMS  
Technologiepark - Zwijnaarde 9  
9052 Zwijnaarde  
BELGIUM

Etienne de Rocquigny  
EDF R&D MRI/T56  
6 quai Watier  
78401 Chatou Cedex  
FRANCE

Prof. Graham de Vahl Davis  
CFD Research Laboratory  
University of NSW  
Sydney, NSW 2052  
AUSTRALIA

Andrzej Dietrich  
Oil and Gas Institute  
Lubicz 25 A  
31-305 Krakow  
POLAND

Prof. Luis Eca  
Instituto Superior Tecnico  
Department of Mechanical Engineering  
Av. Rovisco Pais  
1096 Lisboa CODEX  
PORTUGAL

Prof. Christian Ekberg  
Chalmers University of Technology  
Department of Nuclear Chemistry  
41296 Goteborg  
SWEDEN

European Commission (5)  
Attn: Francesca Campolongo  
Mauro Ciechetti  
Marco Ratto  
Andrea Saltelli  
Stefano Tarantola  
JRC Ispra, ISIS  
2 1020 Ispra  
ITALY

Régis Farret  
Direction des Risques Accidentels  
INERIS  
BP2 – 60550 Verneuil en Halatte  
FRANCE

Prof. Thomas Fetz  
University of Innsbruck  
Technikerstr 13  
Innsbruck AUSTRIA 6020

Forschungsinstitute GRS (2)  
Attn: Eduard Hofer  
B. Kryzkacz-Hausmann  
Forschungsgelände Neubau 2  
85748 Garching  
GERMANY

Forschungszentrum Karlsruhe (2)  
Attn: F. Fischer  
J. Ehrhardt  
Inst. Kern & Energietechn  
Postfach 3640, D-76021  
Karlsruhe  
GERMANY

Prof. Simon French  
School of Informatics  
University of Manchester  
Coupland 1  
Manchester M13 9pl  
UNITED KINGDOM

Prof. Louis Goossens  
Safety Science Group  
Delft University of Technology  
P.O. Box 5031 2800 GA Delft  
THE NETHERLANDS

Prof. Jim Hall  
University of Bristol  
Department of Civil Engineering  
Queens Building, University Walk  
Bristol UK 8581TR

Prof. Charles Hirsch  
Department of Fluid Mechanics  
Vrije Universiteit Brussel  
Pleinlaan, 2  
B-1050 Brussels  
BELGIUM

Keith Hayes  
Csiro Marine Research  
P.O. Box 1538  
Hobart TAS Australia 7001

Toshimitsu Homma  
Japan Atomic Energy Research Institute  
2-4 Shirakata Shirane  
Tokaimura, Ibaraki 319-1195  
JAPAN

Prof. David Rios Insua  
University Rey Juan Carlos  
ESCET-URJC, C. Humanes 63  
28936 Mostoles  
SPAIN

Mikhail Iosjpe  
Protection Authority  
Norwegian Radiation  
Grini Naringspark 13  
P.O. Box 55  
1332 Oesteraas  
NORWAY

J. Jaffré  
INRIA – Roquencourt  
B.P. 105  
78153 Le Chesnay Cedex  
FRANCE

Michiel J.W. Jansen  
Centre for Biometry Wageningen  
P.O. Box 16, 6700 AA Wageningen  
THE NETHERLANDS

Arthur Jones  
Nat. Radio. Prot. Board  
Chilton, Didcot  
Oxon OX110RQ  
UNITED KINGDOM

Prof. J.P.C. Kleijnen  
Department of Information Systems  
Tilburg University  
5000 LE Tilburg  
THE NETHERLANDS

Bulent Korkem  
P.O. Box 18 Kavaklidere  
06692 Ankara  
TURKEY

Prof. Igor Kozine  
Systems Analysis Department  
Riso National Laboratory  
P. O. Box 49  
DK-4000 Roskilde  
DENMARK

Prof. Sergei Kucherenko  
Imperial College London  
Centre for Process Systems Engineering  
London, SW7 2AZ  
UNITED KINGDOM

Prof. S.E. Magnusson  
Lund University  
P.O. Box 118  
22100 Lund  
SWEDEN

Prof. Alex Thierry Mara  
Université de la Réunion  
Lab. De Génie Industriel  
15, Avenue René Cassin  
BP 7151  
97715 St. Denis  
La Réunion  
FRANCE

Jan Marivoet  
Centre d'Etudes de L'Energie  
Nucleaire  
Boeretang 200  
2400 MOL  
BELGIUM

Prof. Ghislain de Marsily  
University Pierre et Marie Curie  
Laboratoire de Geologie Applique  
4, Place Jussieu  
T.26 – 5e etage  
75252 Paris Cedex 05  
FRANCE

Jean-Marc Martinez  
DM2S/SFME Centre d'Etudes de Saclay  
91191 Gif sur Yvette  
FRANCE

Prof. D. Moens  
K. U. Leuven  
Dept. of Mechanical Engineering, Div. PMA  
Kasteelpark Arenberg 41  
B – 3001 Heverlee  
BELGIUM

Prof. Nina Nikolova – Jeliaskova  
Institute of Parallel Processing  
Bulgarian Academy of Sciences  
25a "acad. G. Bonchev" str.  
Sofia 1113  
BULGARIA

Prof. Michael Oberguggenberger  
University of Innsbruck  
Technikerstr 13  
6020 Innsbruck  
AUSTRIA

Prof. A. O'Hagan  
Department of Probability and Statistics  
University of Sheffield  
Hicks Building  
Sheffield S3 7RH  
UNITED KINGDOM

Prof. I. Papazoglou  
Institute of Nuclear Technology-Radiation  
Protection  
N.C.S.R. Demolaitos  
Agha Papakevi  
153-10 Athens  
GREECE

K. Papoulia  
Inst. Eng. Seismology & Earthquake Engineering  
P.O. Box 53, Finikas GR-55105  
Thessaloniki  
GREECE

Prof. Roberto Pastres  
University of Venice  
Dorsuduro 2137  
30123 Venice  
Dorsuduro 2137  
ITALY

Prof. Dominique Pelletier  
Genie Mecanique  
Ecole Polytechnique de Montreal  
C.P. 6079, Succursale Centre-ville  
Montreal, H3C 3A7  
Canada

Prof. Leslie R. Pendrill  
SP Swedish National Testing & Research Institute  
Measurement Technology, Head of Research  
Box 857, S-501 15 BORÅS  
SWEDEN

Guillaume Pepin  
ANDRA – Service DS/CS  
Parc de la Croix Blanche  
1/7 rue Jean Monnet  
92298 Chatenay-Malabry Cedex  
FRANCE

Vincent Sacksteder  
Via Eurialo 28, Int. 13  
00181 Rome  
ITALY

Prof. G.I. Schuëller  
Institute of Engineering Mechanics  
Leopold-Franzens University  
Technikerstrasse 13  
6020 Innsbruck  
AUSTRIA

Prof. Marian Scott  
Department of Statistics  
University of Glasgow  
Glasgow G12 BQW  
UNITED KINGDOM

Prof. Ilya Sobol'  
Russian Academy of Sciences  
Miusskaya Square  
125047 Moscow  
RUSSIA

Prof. Wolfgang Stummer  
Dept. of Mathematics  
Friedrich-Alexander University  
Bismarkstr. 1 1/2  
91054 Erlangen  
GERMANY

Prof. D. Thunnissen  
School of Mech. and Aerospace Engineering  
Nanyang Technical University  
50 Mamuang Ave.  
SINGAPORE 639798

Prof. Tamas Turanyi  
Eotvos University (ELTE)  
P.O. Box 32  
15 18 Budapest  
HUNGARY

Prof. Lev Utkin  
Institute of Statistics  
Munich University  
Ludwigstr. 33  
80539, Munich  
GERMANY

Prof. Willem Van Groenendaal  
Tilburg University  
P.O. Box 90153  
5000 LE Tilburg  
THE NETHERLANDS

Malcolm Wallace  
Computational Dynamics Ltd.  
200 Shepherds Bush Road  
London W6 7NY  
UNITED KINGDOM

Prof. H.P. Wynn  
Department of Statistics  
London School of Economics  
Houghton Street  
London WC2A 2AE  
UNITED KINGDOM

Prof. Enrico Zio  
Politecnico di Milano  
Via Ponzia 3413  
20133 Milan  
ITALY

#### **Department of Energy Laboratories**

Argonne National Laboratory (2)  
Attn: Paul Hovland  
Mike Minkoff  
MCS Division  
Bldg. 221, Rm. C-236  
9700 S. Cass Ave.  
Argonne, IL 60439

Lawrence Livermore National Laboratory (23)  
7000 East Ave.

P.O. Box 808  
Livermore, CA 94550  
Attn: Thomas F. Adams, MS L-095  
Robert J. Budnitz, MS L-632  
John Bolstad, MS L-023  
Peter N. Brown, MS L-561  
T. Scott Carman, MS L-031  
R. Christensen, MS L-160  
Evi Dube, MS L-095  
Frank Graziani, MS L-095  
Henry Hsieh, MS L-229  
Richard Klein, MS L-023  
Roger Logan, MS L-125  
C. Mailhot, MS L-055  
J. F. McEnerney, MS L-023  
M. J. Murphy, MS L-282  
Daniel Nikkel, MS L-342  
Cynthia Nitta, MS L-096  
Peter Raboin, MS L-125  
Edward Russell, MS L-631  
Kambiz Salari, MS L-228  
David D. Sam, MS L-125  
Joe Sefcik, MS L-160  
Peter Terrill, MS L-125  
Charles Tong, MS L-560  
Carol Woodward, MS L-561

Los Alamos National Laboratory (52)  
Mail Station 5000

P.O. Box 1663

Los Alamos, NM 87545

Attn: Peter Adams, MS B220  
Mark C. Anderson, MS T080  
Cuauhtemoc Aviles-Ramos, MS P946  
Terrence Bott, MS K557  
Jerry S. Brock, MS F663  
Gregory A. Brouillette, MS F607  
D. Cagliostro, MS F645  
C. Chiu, MS F600  
David L. Crane, MS P946  
John F. Davis, MS B295  
Helen S. Deaven, MS B295  
Barbara DeVolder, MS B259  
Scott Doebeling, MS T080  
Sunil Donald, MS K557  
S. Eisenhower, MS K557  
Dawn Flicker, MS F664  
George T. Gray, MS G755  
Ken Hanson, MS D412  
Alexandra Heath, MS F663  
Francois Hemez, MS T006  
Karen Hench, MS P946  
R. Henninger, MS D413  
David Higdon, MS F600  
Kathleen Holian, MS B295  
Darryl Holm, MS B284  
Jason Hundhausen, MS T001  
James Hyman, MS B284  
Cliff Joslyn, MS B265  
James Kamm, MS D413  
Kinnan Kline, MS T001  
Ken Koch, MS F652  
Douglas Kothe, MS B250  
Jeanette Lagrange, MS D445  
Jonathan Lucero, MS C926  
Len Margolin, MS D413  
Kelly McLenithan, MS F664  
Mark P. Miller, MS P946  
John D. Morrison, MS F602  
Karen I. Pao, MS B256  
James Peery, MS F652  
M. Peterson-Schnell, MS B295  
William Rider, MS D413  
Mandy Rutherford, MS T080  
David Sigeti, MS F645  
Kari Sentz, MS F600  
David Sharp, MS B213  
Richard N. Silver, MS D429  
Ronald E. Smith, MS J576  
Christine Trembl, MS J570  
Daniel Weeks, MS B295  
Morgan White, MS F663

Alyson G. Wilson, MS F600

U.S. Department of Energy (5)

Attn: Kevin Greenaugh, NA-115

D. Kusnezov, NA-114

Jamileh Soudah, NA-114

K. Sturgess, NA-115

J. Van Fleet, NA-113

Forrestal Building

1000 Independence Ave., SW

Washington, DC 20585

U.S. Department of Energy (7)

Yucca Mountain Site Characterization Office

Attn: William Boyle

Russ Dyer

Claudia Newbury

Mark Nutt

Mark Tynan

Abraham VanLuik

Eric Zwahlen

1551 Hillshire Drive

Las Vegas, NV 89134

#### **Sandia Internal Distribution**

1	MS 1231	0310	A. L. Camp
1	MS 1056	1112	S. M. Meyers
1	MS 1415	1120	C. J. Barbour
1	MS 1179	1341	L. Lorence
1	MS 1146	1384	P. J. Griffin
1	MS 0321	1400	W. J. Camp
1	MS 0310	1400	G. S. Davidson
1	MS 1110	1400	D. E. Womble
1	MS 0310	1410	M. D. Rintoul
1	MS 0370	1411	S. A. Mitchell
1	MS 0370	1411	B. Adams
1	MS 0370	1411	R. A. Bartlett
1	MS 1110	1411	D. Dunlavy
1	MS 0370	1411	M. S. Eldred
1	MS 0370	1411	D. M. Gay
1	MS 1110	1411	J. Hill
1	MS 1111	1411	P. Knupp
1	MS 0370	1411	L. P. Swiler
1	MS 0370	1411	S. Thomas
1	MS 0370	1411	T. G. Trucano
1	MS 0370	1411	B. G. van Bloemen Waanders
1	MS 1110	1412	S. J. Plimpton
1	MS 1110	1414	S. S. Collis
1	MS 1110	1414	M. Heroux
1	MS 1110	1414	R. B. Lehoucq
1	MS 1110	1415	S. K. Rountree
1	MS 1110	1415	J. Berry
1	MS 1110	1415	R. Carr

1	MS 1110	1415	W. E. Hart	1	MS 0825	1515	D. W. Kuntz
1	MS 1111	1415	B. A. Hendrickson	1	MS 0825	1515	J. L. Payne
1	MS 1110	1415	V. J. Leung	1	MS 0825	1515	W. P. Wolfe
1	MS 1110	1415	C. A. Phillips	1	MS 0836	1516	E. S. Hertel
1	MS 1111	1416	A. G. Salinger	1	MS 0836	1516	D. Dobranich
1	MS 0316	1420	S. S. Dosanjh	1	MS 0836	1516	R. E. Hogan
1	MS 1109	1420	J. Tompkins	1	MS 0836	1517	R. O. Griffith
1	MS 0376	1421	T. D. Blacker	1	MS 0847	1520	P. J. Wilson
1	MS 0817	1422	J. A. Ang	1	MS 0557	1522	C. C. O'Gorman
1	MS 0817	1422	R. Benner	1	MS 0555	1522	R. A. May
1	MS 1110	1423	N. D. Pundit	1	MS 0557	1523	T. Simmermacher
1	MS 0817	1423	J. VanDyke	1	MS 0553	1523	D. O. Smallwood
1	MS 0822	1424	C. F. Diegert	1	MS 0847	1523	T. J. Baca
1	MS 0822	1424	D. Rogers	1	MS 0372	1524	J. Pott
1	MS 0321	1430	J. E. Nelson	1	MS 0372	1524	T. D. Hinnerichs
1	MS 0378	1431	R. M. Summers	1	MS 0372	1524	K. E. Metzinger
1	MS 0378	1431	R. R. Drake	1	MS 0557	1525	T. G. Carne
1	MS 0370	1431	M. E. Kipp	1	MS 0372	1525	J. Jung
1	MS 0378	1431	S. Mosso	1	MS 0847	1526	J. M. Redmond
1	MS 0378	1431	A. C. Robinson	1	MS 0847	1526	R. V. Field
1	MS 1110	1431	G. Scovazzi	1	MS 0821	1530	A.L. Thornton
1	MS 0378	1431	S. A. Silling	1	MS 1135	1532	T. K. Blanchat
1	MS 0378	1431	P. A. Taylor	1	MS 0836	1532	C. A. Glissman
1	MS 0370	1431	G. Weirs	1	MS 1135	1532	J. T. Nakos
1	MS 0378	1431	M. K. Wong	1	MS 1135	1532	S. R. Tieszen
1	MS 0378	1433	J. Strickland	5	MS 0828	1533	M. Pilch
1	MS 0370	1433	G. Backus	1	MS 0828	1533	A. R. Black
1	MS 0310	1433	M. Boslough	1	MS 0828	1533	K. J. Dowding
1	MS 0763	1433	C. Jorgensen	1	MS 0828	1533	A. A. Giunta
1	MS 0310	1433	D. Schoenwald	50	MS 0779	1533	J. C. Helton
1	MS 0310	1433	J. Siirola	5	MS 0828	1533	W. L. Oberkamp
1	MS 0316	1433	B. Spatz	1	MS 0557	1533	T. L. Paez
1	MS 0370	1433	M. Taylor	1	MS 0828	1533	J. R. Red-Horse
1	MS 0378	1433	T. Voth	1	MS 0828	1533	V. J. Romero
1	MS 1110	1435	J. B. Aidun	1	MS 0828	1533	A. Urbina
1	MS 1110	1435	H. P. Hjalmarson	1	MS 0828	1533	W. R. Witkowski
1	MS 0316	1437	S. A. Hutchinson	1	MS 1135	1534	S. Heffelfinger
1	MS 0316	1437	J. Castro	1	MS 0847	1534	S. W. Attaway
1	MS 0316	1437	J. N. Shadid	1	MS 0384	1540	H. S. Morgan
1	MS 0384	1500	A.C. Ratzel	1	MS 0380	1542	K. F. Alvin
1	MS 0826	1500	D. K. Gartling	1	MS 0380	1542	M. W. Heinsteint
1	MS 0824	1500	T.Y. Chu	1	MS 0380	1542	S. W. Key
1	MS 0836	1500	M.R. Baer	1	MS 0380	1542	G. M. Reese
1	MS 0825	1510	W. Hermina	1	MS 0382	1543	J. R. Stewart
1	MS 0834	1512	R. D. M. Tachau	1	MS 0382	1543	K. M. Aragon
1	MS 0834	1512	S. J. Beresh	1	MS 0382	1543	K. D. Copps
1	MS 0826	1513	S. N. Kempka	1	MS 0382	1543	H. C. Edwards
1	MS 0836	1514	J. S. Lash	1	MS 0382	1543	G. D. Sjaardema
1	MS 0836	1514	K. S. Chen	1	MS 1152	1652	M. L. Kiefer
1	MS 0836	1514	R. R. Rao	1	MS 0525	1734	P. V. Plunkett
1	MS 0836	1514	P. R. Schunk	1	MS 0525	1734	R. B. Heath
1	MS 0836	1514	R. J. Buss	1	MS 0525	1734	S. D. Wix
1	MS 0825	1515	B. Hassan	1	MS 0139	1900	A. Hale
1	MS 0825	1515	M. Barone	1	MS 0139	1902	P. Yarrington
1	MS 0825	1515	F. G. Blottner	1	MS 0139	1904	R. K. Thomas

1	MS 0429	2100	B. C. Walker	1	MS 1395	6821	M. Nemer
1	MS 0453	2110	L. S. Walker	1	MS 0776	6821	D. Rudeen
1	MS 0447	2111	J. D. Mangum	1	MS 1395	6821	E. Vugrin
1	MS 0483	2112	A. L. Hillhouse	1	MS 1395	6821	K. Vugrin
1	MS 0427	2118	R. A. Paulsen	1	MS 1395	6822	M. Rigali
1	MS 0427	2118	S. E. Klenke	1	MS 1395	6822	R. Beauheim
1	MS 0427	2118	B. H. Wohl	1	MS 1395	6822	L. Brush
1	MS 0453	2120	M. R. Sjulín	1	MS 0778	6822	P. Domski
1	MS 0482	2123	E. R. Hoover	1	MS 0778	6822	M. Wallace
1	MS 0487	2124	P. A. Sena	1	MS 0776	6850	E. J. Bonano
1	MS 0453	2130	M. A. Rosenthal	1	MS 1399	6850	A. Orrell
1	MS 0481	2132	S. G. Barnhart	1	MS 0778	6851	B. W. Arnold
1	MS 0481	2137	J. F. Nagel	1	MS 0778	6851	C. Jove-Colon
1	MS 0479	2138	J. O. Harrison	1	MS 0776	6851	M. K. Knowles
1	MS 0529	2345	G. K. Froehlich	1	MS 0778	6851	S. Miller
1	MS 0512	2500	T. E. Blejwas	1	MS 0776	6852	K. Economy
1	MS 1064	2614	S. E. Lott	1	MS 0776	6852	G. Freeze
1	MS 0437	2820	K. D. Meeks	1	MS 0776	6852	T. Hadgu
1	MS 0437	2830	J. M. McGlaun	1	MS 0776	6852	H. Iuzzolino
1	MS 0807	2990	P. A. Klein	1	MS 0748	6852	E. A. Kalinina
1	MS 0509	5345	M. W. Callahan	1	MS 0776	6852	S. Kuzio
1	MS 1185	5417	R. J. Lawrence	1	MS 0776	6852	P. Mattie
1	MS 1162	5422	W. H. Rutledge	1	MS 0776	6852	R. McCurley
1	MS 1158	5424	K. V. Chavez	1	MS 0776	6852	A. Reed
1	MS 1153	5441	L. C. Sanchez	1	MS 0776	6852	C. Sallaberry
1	MS 0831	5500	M. O. Vahle	1	MS 0776	6852	J. Schreiber
1	MS 0670	5526	J. R. Weatherby	1	MS 0776	6852	J. S. Stein
1	MS 0968	5714	E. A. Boucheron	1	MS 0776	6852	B. Walsh
1	MS 0751	6111	L. S. Costin	1	MS 0776	6852	Y. Wang
1	MS 0751	6117	R. M. Brannon	1	MS 0776	6853	R. J. MacKinnon
1	MS 0751	6117	A. F. Fossum	1	MS 0776	6853	R. P. Rechard
1	MS 0708	6214	P. S. Veers	1	MS 1399	6853	D. Sevougian
1	MS 1138	6221	G. E. Barr	1	MS 0778	6853	P. N. Swift
1	MS 1138	6221	S. M. DeLand	1	MS 0776	6853	M. Tierney
1	MS 1138	6222	P. G. Kaplan	1	MS 1399	6853	P. Vaughn
1	MS 1137	6223	G. D. Valdez	1	MS 0771	6855	F. Hansen
1	MS 0615	6252	J. A. Cooper	1	MS 1399	6855	C. Howard
1	MS 0769	6400	D. S. Miyoshi	1	MS 0778	6855	C. Bryan
1	MS 1176	6642	D. J. Anderson	1	MS 0778	6855	R. L. Jarek
1	MS 0757	6442	J. L. Darby	1	MS 0778	6855	P. Mariner
1	MS 0757	6442	G. D. Wyss	1	MS 0748	6861	D. G. Robinson
1	MS 1002	6630	P. D. Heermann	1	MS 0748	6861	S. P. Burns
1	MS 1005	6640	R. D. Skocypec	1	MS 0748	6862	N. Bixler
1	MS 1011	6642	D. J. Anderson	1	MS 0748	6862	R. Gauntt
1	MS 1011	6642	M. S. Shortencarrier	1	MS 0771	6870	J. E. Kelly
1	MS 1011	6643	R. M. Cranwell	1	MS 0736	6870	D. A. Powers
1	MS 1169	6700	J. R. Lee	1	MS 0779	6874	H.-N. Jow
1	MS 0771	6800	D. L. Berry	1	MS 0779	6874	C. Axness
1	MS 1395	6820	M. J. Chavez	1	MS 0779	6874	L. Dotson
1	MS 1395	6820	D. Kessel	1	MS 0779	6874	J. Johnson
1	MS 1395	6821	J. W. Garner	1	MS 0779	6874	J. Jones
1	MS 0776	6821	A. Gilkey	1	MS 0779	6874	R. Knowlton
1	MS 1395	6821	J. Kanney	1	MS 1399	6874	M. A. Martell
1	MS 1395	6821	T. Kirchner	1	MS 1377	6957	A. Johnson
1	MS 1395	6821	C. Leigh	1	MS 0839	7000	L. A. McNamara



1	MS 9202	8205	R. M. Zurn	1	MS 0830	12335	K. V. Diegert
1	MS 9014	8242	A. R. Ortega	1	MS 0829	12337	J. M. Sjulín
1	MS 0735	8753	S. C. James	1	MS 0829	12337	B. M. Rutherford
1	MS 9409	8757	C. D. Moen	1	MS 0829	12337	F. W. Spencer
1	MS 9042	8774	J. J. Dike	1	MS 0428	12340	V. J. Johnson
1	MS 9409	8776	W. A. Kawahara	1	MS 0638	12341	N. J. DeReu
1	MS 9042	8776	E. P. Chen	1	MS 0638	12341	D. L. Knirk
1	MS 9409	8776	R. E. Jones	1	MS 0638	12341	D. E. Peercy
1	MS 9153	8800	D. R. Henson	1	MS 0405	12346	R. Kreutzfeld
1	MS 9151	8900	L. M. Napolitano	1	MS 0405	12346	S. E. Camp
1	MS 9159	8962	H. R. Ammerlahn	1	MS 0405	12347	L-J Shyr
1	MS 9159	8962	P. D. Hough	1	MS 0405	12347	T. D. Brown
1	MS 9159	8962	K. R. Long	1	MS 0405	12347	R. D. Waters
1	MS 9159	8962	M. L. Martinez-Canales	1	MS 1030	12870	J. G. Miller
1	MS 0428	12300	C. L. Knapp	2	MS 9018	8944	Central Technical Files
1	MS 0428	12330	T. R. Jones				
1	MS 0434	12334	B. M. Mickelsen	2	MS 0899	4536	Technical Library

This page intentionally left blank.